


DESIGN FEATURES



- 1.Elastic stainless steel sealing ring,"0"leakage
- 2.Fireproof structural design,blow-out proof stems
- 3.Auto welding plasma powder surfacing valve seat
- 4.Hollow design, reduces flow resistance
- 5.Interchangeable DSS entity seal / multiple-piece
- 6.stainless and graphite seal
- 7.ISO5211 Mounting platform,simple connection



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





i 000000 000000 000000000000 000000 00 000000 000000 :00000000 0000.

[illegible]

iii) 00000 000 00000000 000000 000000 000000 00 00000000 0 000000 00 00000000 00000000 00000000.

iv 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇 〇 〇〇〇〇〇〇 〇 〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇.

v 认证: GB 德国标准 美国标准 Tuv CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609.

በመጨረሻም በመጠቀም በ ስህተት በሚፈጸሙ የጥገና ስራዎች ላይ በሚከተሉት ምክንያቶች ምሳሌዎች ለመግለጽ ሚና ይጫወታል፡ በመጨረሻም በመጠቀም በሚከተሉት ምክንያቶች ምሳሌዎች ለመግለጽ ሚና ይጫወታል፡

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners

A: .

[illegible]

□□□□ : RKSfluid . □□□□□□ □□□□ □□□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□

.000000 000 000000 000000.000 0000 5 ~ 2 00 000000 000 00000000 000000000 :0

1 : pc . 00000000 00000000

.பொருத்தம் இது பொருத்தம் பொருத்தம் இது பொருத்தம்.பொருத்தம் பொருத்தம் பொருத்தம் இது பொருத்தம் பொருத்தம் இது 100 பொருத்தம் பொருத்தம் :
பொருத்தம் பொருத்தம் TUV இது API இது WRAS இது CE இது ISO.
இது பொருத்தம் பொருத்தம் DIN இது ASME இது BS EN இது JIS இது API இது AWWA.

A: RKSfluid 是用于计算 RKS 模型的 Fortran 程序。它使用 70 个输入参数和 20 个输出参数。它使用 10 个输入参数和 20 个输出参数。