




序号	名称	材料	标准
1	阀体	GGG50	EN1563
2	阀盖	EPDM	ISO4633
3	阀座	GGG50	EN1563
4/5/6	阀杆	阀杆材料 4.8 级材料 4.8 级材料	ISO898
	阀杆密封材料	阀杆密封材料	BS EN 14901
	阀杆密封材料		BS EN 1092

COMPANY INFORMATION



[illegible]

COMPANY EXHIBITION



COMPANY QUALIFICATION



Delivery



Payment



:0000000000

0000000000 000 00 00 :1

A1: 000000 "S .00000000 00000000 000000 000 000000 90-15 000000 000000 00 .000000 000000 00000 10 0000 5 00

000000 000 00 00000 :2

A2: 000000 T/T 30 0 0 .00000 000 00 .000000 000 00000000 00000000 000 00000000 000

000000 000 0000000 0000000 00 :3

A3: .000000 0000000 0000000 0000000 000000 0 0000000 000000 000 00000 000 0 000

00 00000" 00000 :4 MOQ

A4: .0000000 00 0000000 00 0000000 .00000000 00000 1 000 000 0000000

000000000 000 00 0000000 000000000 00000 000000 00 000 000000 0000000 0000" 00 00 :5

A5: 0000 000 .0 100 0000000 0 000 R&D 0 0 0000000000 0 000000000 0 000000000 0 0000000000 0 000000000 0 000000

00 000000 0 000000 00000 000000000 0 000000 0000 00 000000 00000000000 GB 0 ASME 0 API 0 DIN Standard 0 0000

00000000 ISO9001 0 0 2008 0 CE 0 0 CE 0 0 CE 0 0 CE 0 0 CE 0 0 CE 0 000000 TUV.

0000000 000000 000000 00 000 000 00000 000000 000000 00 :6

A6: 0000 00000 R&D 0000000 0000000 000 00000 000000 00 00000 .000000000 0000000 70 00 000000 00000000

.0000000000 0000000000 0000000 0 00000000000

00000000 000000000 000000 00000 000000 00000 0000 :7

A7: 00000 .000000000 00 0000000 Valve .000000000 0000 00000000 00 000000 00000 0000000 000 000000 000000 0000000

0000000 000000 ISO9001 2008 0 0 CE 0 TUV 0 000000000.