□□□□□□ □□□□□□ □□ □□□□□□ □□□□□ □□□□□□.□□□□ □□ □□□□ □□□ □□□□□□ □□□□ □□□□□□ □□□ □□□□□□ □□□□□□□ □□□□□
.□□□□□□ □□□□□□ □□□□ □□□□□□ □□□ □□□□ □□□ □□□□□ □□□□□□ □□□□□□□ □□□□□ □□□□□□ □□□□□□□ □□□□□□□

□□□□□ □□□□□□ □□□□□ □□□□□□□□ □□□□□ □□ □□□□.□□□□□□□□ □□□□□ □□□□□ □□ □□ □□ □□□□□□□ □□□ □□□□□□ □□□□□
□□□□□□□□□ □□□□□□ □□□□□ □□□□□□ □□□ □□□□□ □□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□.

□□□□□□	□□□ C515
□□□	□□□ B16.1/16.42
□□□□ □□□□	5153□□□□□□□□□
□□□□□□□□□□	EN12266
□□□□□	□□□□□□□ □□□□□□
□□□□□	□□□
□□□□□ □□□□	0-80 □□□□□ □□□□
□□□□□ □□□□□□	11/18 □□□
□□□□□ □□□□□□	15/24 □□□
□.□	10/16 □□□
□□□□□□ □□□□□	DN40-DN400



APPLICATION SCENARIO

Industrial water application | Power plant | Sea water desalination | Water treatment | Water supply and drainage | HAVC | Food and drug | Water transport

COMPANY INFORMATION

I □□□□□□ □□□□□ □□□□□□□ □□□□□□□□□□□□ □□□□□□□ □□ □□□□□□ □□□□□□ :□□□□□ □□□□.

Ⅱ □□□□□ □□□□□ CNC □□□□□ □□□□□ □□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□□□□□□.

Ⅲ □□□□□ □□□ □□□□□□□□ □□□□□ □□□□□□ □□□□□ □□ □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□.

Ⅳ □□□□□□□ □□□□□□□□ □□ □□□□□□ □□□□□□□ □□ □□□□□□□□ □□□□□ □□□□□□ □□□□□□ □□□.

V □□□□□□ □□□□□: GB□ □□□□□□□□ □□□□□□□ □□□□□□□□□ □□□□□□□□ TUV CE□ ISO 9001□ ADWO-2000□ TS□ PED□ WRC WRAS□ KTW□ API 6D□ API609.

VI □□□□□□□□ □□□□□□□□ □□□□□□ □□□□ □□□□□□□□ □□□□ □□□□□□□ □□□□□□ □□□□□□□□ □□□□ :□□□□□□□ □□□□□□□ .□□□□□□ □□□□□ □□□□□□□□□□ / □□□□□□□ / □□□□□□ □□□□□□ □□□□□□□□□ □□□□□□□

01 21 years of professional experience

02 4 factories

03 Independent research and development team
28 top senior professional researchers

04 2 professional testing centers

05 100% high level ex-factory inspection

06 High quality imported materials

07 2 years quality assurance, repair and replacement

COMPANY EXHIBITION

COMPANY QUALIFICATION

Partners

TALIS
GEMÜ
WATTS WATER TECHNOLOGIES
Bray
hawle
amri
BAYARD
AVK
EBRO
KEYSTONE
EMERSON
GIBSON
CAMERON
CMO VALVES
SWISS fluid
SAINT-GOBAIN
KSB
tyco
TTV
SAPAG
haike

:□□□□□□□□□□

□□□□□□□□□ □□□□□ □□□□□□□□□□ □□ □□ □□□□□□□ □□□□ □□□□ □□□□□□ □□□□ □□□□ :□
.□□□□□□□□ □□□□□ □□□□□□□ □□□□□□□ □□□□□□□□□ □□□□□ □□□□□□□□□□ □□□□□ :□

□□□□□□ □□ □□□□□□□□□□ □□□□□□ □□□□□□ □□ :□
□□□□□□□ □□□□□□.□□□□□□□ □□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□ □□□□□□□□ □□□□□□□ :□ RKSfluid □□□□□□□□□□□□□
.□□□□□□□ □□□□ □□□□□□□□ □□.□□□□□□□□□□

□□□□□□□□□□□ □□□□□□ □□ □□ :□
□□□□ :□ RKSfluid .□□□□□□□□ □□□□□ □□□□□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□□□□

□□□□□□□□ □□□□□ :□
.□□□□□□ □□□□ □□□□□□ □□□□□□.□□□□ □□□□□ 5 ~ 2 □□ □□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□□ :□

□□□□ :□
.□□□□□□□□□ □□□□□□ □□□□□ 1 :□

□□□□□□□□ □□□□□ □□ □□□□□ :□
.□□ □□□□□□ □□□□□□□ □□□□ □□□□□□ □□□□□.□□□□□□ □□□□□ □□□□□ □□□□□□□□□ □□□□ %100 □□□□□□ □□□□□□□ □□□□□□□ :□
□□□□□□ □□□□ □□□□□□ □□□□ TUV□ API□ WRAS□ CE□ ISO.
□□ □□□□□□□□ □□□□□□□ DIN□ ASME□ BS EN□ JIS□ API□ AWWA.

□□□□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□ □□□□ :□
□□□□□□ :□ RKSfluid □□□□□□□□ □□□□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□ 70 □□ □□□□□ □□□□□□ □□□□□□ 20 □□□□□□
□□ □□□□□□□□ □□□□□□□□□ □□□□□□□□.