



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



في عام 1997، نحن معمل إنتاج لكل من المسبك والمعالجة الميكانيكية RKS تم إنشاء سائل ومركز الأبحاث والتطوير ومركز مراقبة الجودة. تشمل مرافق الإنتاج مراكز عمل التحكم العددي ، وخلايا المعالجة المهنية ، ومعدات اللحام واسعة الطيف ، وخطوط التجميع الآلي والطلاء. لقد أنشأنا فريق للتصميم والبحث والتطوير. أصبح مركز الاختبار الجديد الخاص بنا كمركز اختبار لمنصة الخدمة للوحدة المرجعية للصمام الصيني ، للمشاركة في GB هو المعيار Liaoning العامة في مقاطعة تطوير معايير صناعة الصمامات ذات الصلة. من أجل تسريع التوسع في الأعمال التجارية في الخارج

في الولايات المتحدة وألمانيا وروسيا. لدينا RKS وتكامل الموارد ودعم نجاح مبيعات السوائل من المعايير الألمانية والأمريكية ، المعتمدة من ، ISO ، GB ، وكييل أمريكي. تشمل معايير تصميم منتجاتنا منتجاتنا: صمامات يدوية ، تعمل بالهواء ، API ، TS ، ISO9001 ، ADWO-2000 و CE و TUV ل المصغوط والكرة وصمامات فراشة وصمامات بوابة تعمل بالكهرباء. فحص الصمامات ، صمامات التحكم الآلي. المسبوكات والتجهيزات: أجسام الصمامات ، وأغطية السيارات ، والأقراص ، والسيقان ، وعلبة التروس ، والمفاصل العالمية ، ومحولات الحواف ، وأغطية السرج. بعد سنوات من التطوير ، نواصل تحسيننا والبحث عن الابتكار ، والتمسك بـ "التكنولوجيا المثبتة ، والميزات المتفوقة والقيمة الأسطورية" كفلسفة قيمة المنتج لدينا. رضا العملاء هو هدف أعمالنا

Exhibition Photos



Our Certificates

