RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

Our Factory

في عام 1997. نحن معمل إنتاج لكل من المسبك والمعالجة الميكانيكية RKS تم إنشاء سائل ومركز الأبحاث والتطوير ومركز مراقبة الجودة. تشمل مرافق الإنتاج مراكز عمل التحكم العددي ، وخلايا المعالجة المهنية ، ومعدات اللحام واسعة الطيف ، وخطوط التجميع الآلي والطلاء. لقد أنشأنا فريق للتصميم والبحث والتطوير. أصبح مركز الاختبار الجديد الخاص بنا كمركز اختبار لمنصة الخدمة للوحدة المرجعية للصمام الصيني ، للمشاركة في GB هو المعيار Liaoning العامة في مقاطعة تطوير معايير صناعة الصمامات ذات الصلة. من أجل تسريع التوسع في الأعمال التجارية في الخارج

في الولايات المتحدة وألمانيا وروسيا. لدينا RKS وتكامل الموارد ودعم نجاح مبيعات السوائل من المعايير الألمانية والأمريكية ، المعتمدة من ، ISO ، GB :وكيل أمريكي. تشمل معايير تصميم منتجاتنا منتجاتنا: صمامات يدوية ، تعمل بالهواء .API ، TS ، ISO9001 ، ADWO-2000 و CE لـ TUV المضغوط والكرة وصمامات فراشة وصمامات بوابة تعمل بالكهرباء. فحص الصمامات ، صمامات التحكم الآلي. المسبوكات والتجهيزات: أجسام الصمامات ، وأغطية السيارات ، والأقراص ، والسيقان ، وعلبة التروس ، والمفاصل العالمية ، ومحولات الحواف ، وأغطية السرج. بعد سنوات من التطوير ، نواصل تحسيننا والبحث عن الابتكار ، والتمسك بـ "التكنولوجيا المثبتة ، والميزات المتفوقة والقيمة الأسطورية" كفلسفة قيمة المنتج لدينا. رضا العملاء هو هدف أعمالنا!

Exhibition Photos

Our Certificates