



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**



OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large Dia & Even pressures up to 100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**

DURABLE


- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL



- Epoxy powder: **AkzoNobel**, Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**





APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

02
4 factories

04
2 professional testing centers

06
High quality imported materials



area مجال العمل: منتجات التحكم في السوائل والتكنولوجيا وحماية البيئة

مراكز التصنيع باستخدام الحاسوب الآلي المتقدمة ، وخلايا العملية المهنية ، ومعدات لحام ، وخطوط التجميع centers التلقائي والطلاء.

الوحدة المرجعية الصينية القياسية ، للمشاركة في تطوير معايير صناعة الصمام ذات الصلة reference.

أنشأنا مركزاً للبحث والتطوير في هيوستن ، تكساس ، الولايات المتحدة IV.

TUV CE ، ISO 9001 ، ADWO-2000 ، TS ، PED ، GB : معيار المنتج 7
المعيار الألماني ، المعيار الأمريكي ، WRC WRAS ، KTW ، API 6D ، API609.

سادسا: الإنتاج الرئيسي: صمام الفراشة ، صمام الكرة ، صمام البوابة ، صمام عدم الرجوع ، صمامات الكرة الأرضية ، ملحقات الأنابيب ، مشغل يدوي / هوائي / كهربائي ، أجزاء الصمام .

Exhibition Photos



Our Certificates



التعليمات

س: إذا كنت بحاجة إلى عرض أسعار ، فما المعلومات التي نحتاجها؟
المواد صمام ، درجة الحرارة ، الضغط ، المتوسطة ، نظام التطبيق.

س: هل يمكنك تزويد المحركات ، ماذا لديك؟
تعتمد التكنولوجيا الأمريكية. ما RKSfluid هوائي ، الكهربائية ، صمامات الملف اللولبي الهيدروليكي. المحركات:
تحتاجه ، فقط أخبرنا.

س: ما هي الطاقة الإنتاجية؟
على أربعة مصانع يمكنها توفير المنتجات التي تحتاج إليها. RKSfluid ج: يحتوي

س: مهلة الإنتاج

a: المنتجات العاديّة متوفّرة في 2 ~ 5 أيام عمل. قاعدة مخصصة لاحتياجاتك.

س: موك

a: قطعة لجميع المنتجات. 1:

س: ماذا عن ضمان الجودة؟

a: اختبار الجودة قبل التسليم ، 2 سنة الضمان. ضمان السلامة التشغيلية للنظام. 100%

لقد حصلنا على ISO شهادة ، TUV ، API ، WRAS ، CE ،

DIN ، ASME ، BS EN ، JIS ، API ، AWWA.

س: كيف يمكننا تقديم خدمة عالية الجودة لعملائنا؟

بخبرة 20 عاماً ويوفر أكثر من 70 مهندساً في مجال البحث والتطوير الدعم الفني واختيار RKSfluid ج: يتمتع

الطاراز ودليل التثبيت.