



RK fluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**

OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large** Dia & Even pressures up to **100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**


DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**





APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



مجال العمل: منتجات التحكم في السوائل والتكنولوجيا ومنتجات حماية البيئة.

متقدمة وخلايا معالجة مهنية ومعدات لحام وخطوط تجميع أوتوماتيكية وطلاء CNC مراكز تصنيع II

وحدة مرجعية قياسية صينية ، للمشاركة في تطوير معايير صناعة الصمامات ذات الصلة III

أنشأنا مركزًا للبحث والتطوير في هيوستن ، تكساس ، بالولايات المتحدة IV

معيار المنتج V : GB ، المعيار الأمريكي ، المعيار الألماني ، TUV CE ، ISO 9001 ، ADWO-2000 ، TS ، PED ، WRC WRAS ، KTW ، API 6D ، API609.

الإنتاج الرئيسي: صمام فراشة ، صمام كروي ، صمام بوابة ، صمام عدم رجوع ، صمامات كروية ، ملحقات أنبوب VI ، مشغل يدوي / هوائي / كهربائي ، أجزاء الصمام ،

Exhibition Photos



Our Certificates



التعليمات

س: إذا كنت بحاجة إلى عرض أسعار ، فما المعلومات التي نحتاجها؟
، نظام التطبيق.ج: مواد الصمام ، درجة الحرارة ، الضغط ، المتوسط

س: هل يمكنك توفير مشغلات ، ماذا لديك؟
تتبنى التكنولوجيا الأمريكية. ماذا RKSfluid ج: صمامات الملف اللولبي الهوائية والكهربائية والهيدروليكية. مشغلات
تحتاج ، فقط أخبرنا.

س: ما هي طاقتك الإنتاجية؟
على أربعة مصانع يمكنها توفير المنتجات التي نحتاجها. RKSfluid ج: يحتوي

س: مهلة الإنتاج

ج: المنتجات العادية متوفرة في 2 إلى 5 أيام عمل. قاعدة مخصصة لاحتياجاتك.

س: موك

ج: 1 جهاز كمبيوتر لجميع المنتجات.

س: ماذا عن ضمان الجودة؟

ج: اختبار جودة 100% قبل التسليم ، ضمان لمدة سنتين. التأكد من سلامة تشغيل النظام.

TUV, API, WRAS, CE, ISO. لقد حصلنا على شهادة

AWWA و API و JIS و BS EN و ASME و DIN يتوافق المعيار مع

س: كيف يمكننا تقديم خدمة عالية الجودة لعملائنا؟

بخبرة 20 عامًا وأكثر من 70 مهندسًا في مجال البحث والتطوير يقدمون الدعم الفني واختيار RKSfluid ج: تتمتع

الطراز ودليل التثبيت.