



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug





PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





## Our Factory



في عام 1997. نحن ورشة إنتاج لكل من مسبك و RKSfluid تأسست  
الآلات ومركز البحث والتطوير ومركز فحص الجودة. التصنيع  
تشمل المرافق مراكز التصنيع باستخدام الحاسب الآلي ، وخلايا المعالجة المهنية ، والطياف الواسع  
معدات اللحام ، التجميع الآلي وخطوط الطلاء. قمنا ببناء فريق للتصميم ،  
البحث و التنمية. لدينا مركز اختبار جديد كمركز اختبار منصة الخدمة العامة في  
مقاطعة لياونينغ ، تصبح غيغابايت القياسية للوحدة المرجعية صمام الصينية للمشاركة

في تطوير معايير صناعة الصمامات ذات الصلة. من أجل تسريع  
RKS التوسع في الأعمال الخارجية وتكامل الموارد ، ودعم نجاح  
مبيعات السوائل في الولايات المتحدة الأمريكية والألمانية وروسيا. لدينا وكيل أمريكي. معايير تصميم  
منتجاتنا

، ADWO- 2000 و CE ل TUV والمعيار الألماني والأمريكي المعتمد من ISO و GB :الغلاف  
منتجاتنا: الصمامات الكروية اليدوية والهيدروليكية والكهربائية ، API ، TS ، ISO9001 ،  
صمامات الفراشة وصمامات البوابة. فحص الصمامات ، صمامات التحكم الآلي. المسبوكات و  
التركيبات: أجسام الصمامات ، الأغشية ، الأقراص ، السيقان ، صندوق التروس ، الوصلات العالمية ،  
محولات الشفة ،

التنصت على السروج: بعد سنوات من التطوير ، نواصل تحسين الابتكار والبحث عنه  
مع التمسك "التكنولوجيا المثبتة ، والميزات الفائقة والقيمة الأسطورية" لدينا  
!فلسفة قيمة المنتج. رضا العملاء هو هدفنا في العمل  
.مجال الأعمال: منتجات التحكم في السوائل ، والتكنولوجيا ومنتجات حماية البيئة ا

مراكز التصنيع باستخدام الحاسب الآلي المتقدمة ، وخلايا العمليات المهنية ، ومعدات centers  
.اللحام ، وخطوط التجميع الأوتوماتيكية والطلاء

.وحدة مرجعية قياسية في الصين ، للمشاركة في تطوير معايير صناعة الصمامات ذات الصلة unit

.أنشأنا مركزًا للبحث والتطوير في هيوستن ، تكساس ، بالولايات المتحدة IV

ADWO-2000 ، ISO 9001 ، TUV CE ، المعيار الألماني ، المعيار الأمريكي ، GB :معيار المنتج V  
، TS ، PED ، WRC WRAS ، KTW ، API 6D ، API609.

سادسا الإنتاج الرئيسي: صمام فراشة ، صمام كروي ، صمام بوابة ، صمام فحص ، صمامات كروية ،  
تجهيزات الأنابيب ، مشغل يدوي / هوائي / كهربائي ، أجزاء الصمام



## Our Certificates



## Exhibition Photos

