

ٲٲٲٲ ٲٲٲٲٲ ٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲ ٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲ ٲٲٲٲٲ ٲٲ
 ٲٲٲ ٲٲٲٲٲ ٲٲ ٲٲٲٲ ٲٲٲ .ٲٲٲٲٲ ٲٲٲ ٲٲ ٲٲٲٲٲٲٲ ٲٲٲٲٲ ٲٲٲٲٲ ٲٲ ٲٲٲٲٲ ٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲ ٲٲٲٲ ٲٲ
 ٲٲٲٲ ٲٲٲ ٲٲ ٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲ ٲٲٲ.

COMPANY FACTORY



1. ٲٲٲٲ
- ٲٲٲٲٲٲٲ .2
3. NEEDٲE ٲٲٲٲ
- ٲٲٲٲٲٲ ٲٲ ٲٲٲٲ ٲٲٲ .4
- ٲٲٲٲٲ ٲٲٲٲ .5
- 6.strainer

:ٲٲٲٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲٲ

- ٲٲٲٲٲ ٲٲٲٲ .1
- ٲٲٲٲٲ ٲٲٲٲٲ .2
- ٲٲٲٲٲٲ ٲٲٲٲ .3
- 4

ٲٲٲٲٲ- ٲٲٲٲٲ ٲٲٲٲ (FB)					
DN	L	H2	H1	ٲ	ٲٲٲٲٲ
40	230	139	85	173	3/8 "

50	230	139	85	173	3/8 "
65	290	159	95	198	3/8 "
80	310	179	102	226	3/8 "
100	350	214	112	265	1/2 "
125	400	278	127	307	1/2 "
150	480	333	145	351	1/2 "
200	600	600	172	436	3/4 "
250	730	730	205	524	1 "
300	850	850	232	606	1 1/2 "

Hightlights

- 1. 100% 100% 100% 100% DN2 100
- 2. 100% 100% 100% 100% 100% 100%
- 3. 100% 100% 100% 100% 100% 100%
- 4. 100% 100% 100% 64 100% 100% 100%
- 5. 100% 100% (FB) 100% 100% (RB) 100% 100% (ACD)
- 6. 100% 100% 100% 100% 100%
- 6.1 1.1 :100% 100% * PN 1 100
- 6.2 1.5 :100% 100% * PN 1 BAR
- 6.3 100 0.2 :100% 100% 100%
- 7. 100% 1000 100% 100% 100% 100%
- 8. 100% 100% 100% 100% 100%

100% 100%

- 1. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- .100% 100% 100% 100% 100%
- :100% .2
- .100% 24 :100% 100%
- 100 100 100 100 24 :100%



- [illegible]



COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



□□□□□□□□

□□□□□□□□ □□□□ □□□□□□□□ □□ □□ □ □□□□□□ □□□ □□□□□ □□□ □□□ :□
 □□□□□□□ □ □□□□□ □ □□□□□□□ □□□□ □ "□□□□□□" □□□□□□ :□.□□□□□□□□□ □□□□ □

□□□□□ □□□□ □ □□□□□□□□ □□□□□ □□□□ □□ :□
 □□□□□□□ □□□□□ □□□□□□□□□ □ □□□□□□□□ :□. RKSfluid □□□□□□□□ □□□□□□□□□ □□□□□□□□ □□□□□
 .□□□□□□□ □□□ □ □□□□□□ □□□□□ .□□□□□□□□□ □□□□□□□□

□□□□□□□□□ □□□□□" □□ □□ :□
 □: RKSfluid .□□□□□□□ □□□□ □□□□□□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□□ □□□□

□□□□□□□ □□□□ :□
 .□□□□□□ □□□ □□□□□ □□□□□ .□□□□ □□□□□ 5 ~ 2 □□ □□□□□ □□□ □□□□□□□ □□□□□□□□ :□

□□ :□
 1 :□pc .□□□□□□□□□ □□□□□□

□□□□□□□ □□□□ □□ □□□□ :□
 .□□□□□□□ □□ □□□□□ □□□□□ □□ □□□□□ □□□□ □ □□□□□□□ □□□ □ 100 □□□□□ □□□□□□ :□
 □□□□□ □□□ □□□□□ TUV □ API □ WRAS □ CE □ ISO.
 □□ □□□□□□□ □□□□□□□ DIN □ ASME □ BS EN □ JIS □ API □ AWWA.

□□□□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□ :□

□: RKSfluid 000000 000000 0000000000 000000 0000000000 70 00 000000 0000000000 00 000000 27 000000 00 00000000 00000000 0000000000 0000000000.