




1. **Universal Flange** : This type of flange is used for general purpose applications. It is made of cast iron or steel and has a flange face that is flat. It is used to connect pipes of different diameters.

2. **High Pressure Flange** : This type of flange is used for high pressure applications. It is made of cast iron or steel and has a flange face that is flared. It is used to connect pipes of different diameters.

The flange is a part of a pipe that is used to connect two pipes of different diameters. It is made of cast iron or steel and has a flange face that is flat or flared. The flange is used to connect pipes of different diameters.

The flange is a part of a pipe that is used to connect two pipes of different diameters. It is made of cast iron or steel and has a flange face that is flat or flared. The flange is used to connect pipes of different diameters.



序.	名称	材料	规格
1	阀体	GGG50	EN1563
2	阀盖	GGG50	ISO4633
3	阀杆	GGG50	EN1563
4/5/6	阀座	阀座材料 4.8 阀座材料 阀座材料	ISO898
	阀座材料 阀座材料	阀座材料 阀座材料	14901 阀 阀
	阀座材料		1092 阀 阀

COMPANY INFORMATION



- I 本公司 承接 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。
- II 本公司 承接 CNC 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。
- III 本公司 承接 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。
- IV 本公司 承接 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。
- V 本公司 承接 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。
- VI 本公司 承接 各種 機械 加工 業務 及 各種 機械 設備 的 安裝 及 維修 業務。



COMPANY EXHIBITION



COMPANY QUALIFICATION



Delivery



Payment



:0000000000

0000000000 000 00 000000 00 00 :1

A1: .0000000000 0000000000 0000000000 0000 000000 000000 90 000 15 00 00 .0000 10 000 5 00 000000 000000 00000 00000

0000000 000 00 00000 :2

A2: T/T 30% 00000 000 00 .000000 0000 0000000000 00 0000000000 0000 00000000 0000 00000000.

Q3: 0 000000 00 00000 0000 00000000 00000000 00

A3: .000000 00000000 000000000000 0000000000 0000000000 00 000 0 00000 0000 0000 000000 0000 0 0000

0000 000000 0000 00 00 :4

A4: .000000 00000000 00 00000000 0000 00000 .000000 00000 0000 0000 00000000

0000000000 0000 00 00000000 0000000000 00000 0000000 00 0000 0000000 000000 0000 00 00 :5

00000000000 00000000000 00000000000000 00000000000 00000000 00000000000 000000 00000 0000 .%100 00000000 00000 :5

000000000 0000000 0000000000 00000000 0000000000 00000000 0000 00 000000 000000000000 000000000000 GB ASME API

DIN 000 000000 0000 ISO90012008 CE .00000000 000000 0

0000000000 0000000000 00000000 00 000000 0000000 00000 000000 0000000 00 :6

00000000 0000000 00 000 00000 00 00000 00 0000 .0000000000 0000000 70 00 000000 0000 0000000 0000 00000 000000 :6

.0000000000 000000000000 0000000 00000000000000

00000000 0000000000 000000 00000 00 000000 0000000 00000 0000 :7

00000 .0000000000 00 0000000 :7 Valve 0000 .0000000000 00000 0000000000 00 00000000 00000000 0000 000000 00000000

0000 00000000 0000 ISO90012008 CE TUV 000000000000.