



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**



OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large Dia & Even pressures up to 100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**

DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewagetreatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

02

4 factories

04

2 professional testing centers

06

High quality imported materials



مجال العمل: منتجات التحكم في السوائل والتكنولوجيا وحماية البيئة area.

مراكز التصنيع باستخدام الحاسوب الآلي المتقدمة ، وخلايا العملية المهنية ، ومعدات اللحام ، وخطوط التجميع التلقائي والطلاء centers

وحدة مرجعية قياسية في الصين ، للمشاركة في تطوير معايير صناعة الصمام ذات الصلة reference

أسئلنا مركزاً للبحث والتطوير في هيوستن ، تكساس ، الولايات المتحدة IV.

Standard TUV CE ، ISO 9001 ، ADWO-2000 ، الألمانية القياسية ، القياسية الأمريكية ، GB : منتج قياسي TS ، PED ، WRC WRAS ، KTW ، API 6D ، API609.

سادساً: الإنتاج الرئيسي: صمام الفراشة ، صمام الكرة ، صمام البوابة ، صمام الفحص ، صمامات الكرة الأرضية ، تجهيزات الأنابيب ، المحرك اليدوي ، هوائي / كهربائي ، أجزاء الصمام.

Exhibition Photos



Our Certificates



التعليمات

س: إذا كنت بحاجة إلى الاقتباس ، ما هي المعلومات التي تحتاجها؟
ج: الموسدة ، درجة الحرارة ، الضغط ، المتوسطة ، نظام application.

س: هل يمكنك توفير المحركات ، مازا لديك؟

ج: تعتمد التكنولوجيا الولايات المتحدة RKSfluid صمامات الملف اللولبي. المحركات ، hrdruct ، هوائي ، الكهربائية: الأمريكية. الذي تحتاجه ، فقط أخبرنا.

س: ما هي طاقتكم الإنتاجية؟

ج: يحتوي RKSfluid على أربعة مصانع يمكنها توفير المنتجات التي تحتاج إليها.

س: مهلة الإنتاج

المنتجات العادي لديها مخزون في 2 ~ 5 أيام عمل. قاعدة مخصصة على حاجتك.

س: موك

a: قطعة لجميع المنتجات. 1:

س: ماذا عن ضمان الجودة؟

a: اختبار الجودة قبل التسليم ، 2 سنة الضمان. ضمان سلامة نظام العمل الخاص بك. 100٪

لقد حصلنا على ISO و WRAS و API و CE و TUV.

مع DIN و AWWA و ASME و BS EN و API و JIS يتوافق المعيار.

س: كيف يمكنك تقديم خدمة عالية الجودة لعملائنا؟

خبرة 20 عاماً ويوفر أكثر من 70 مهندساً في مجال البحث والتطوير الدعم الفني واختيار RKSfluid ج: يمتلك الطراز وإرشادات التثبيت لك.