

..... [www. ....](#)  
.....  
.....

..... : EN1092-2 / BS4504

..... : DIN F4 / DIN F5 / BS 5163

## DESIGN FEATURES



### Features



- Use AkzoNobel material.
- Super Anti-corrosion
- Epoxy powder coating 200-250um,
- Baking varnish over 200°C,

NO.		
1	Body	GGG50
2	Dise	GGG40+EPDM
3	Wedge nut	C48600
4	Stem	SS431
5	Bonnet	GT450-10
6	Gasket	EPDM
7	Y-ring	EPDM85-90
8	Fix ring	CuZn21Si3/C69300
9	Thrust bearing	C69300
10	Seal ring	EPDM70
11	O ring	NBR
12	Retainer ring	POM
13	Bushing ring	POM
14	Gland	SS431
15	Dustproof ring	EPDM85
16	Dise core	GGG40
17	Bolt	SS316





Free wedge nut, reduces the stem bending forces and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to reduce the risk of bacterial growth.



One piece stainless steel stem in for better resistance to axial load and to with stand higher operating torques.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.



# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# COMPANY FACTORY



# COMPANY INFORMATION



i 本公司 設備 均 採用 國際 知名 品牌 設備 製造 而成 。

ii 本公司 設備 CNC 加工 之 精度 均 符合 國際 標準 。

iii 本公司 設備 均 採用 國際 知名 品牌 設備 製造 而成 。

iv 本公司 設備 均 採用 國際 知名 品牌 設備 製造 而成 。

v 本公司 設備 均 符合 以下 標準 。

本公司 設備 均 符合 以下 標準 。

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

# COMPANY QUALIFICATION





# COMPANY EXHIBITION



## Partners



## Faq

Q: How can I contact your sales team for more information about your products and services?

A: You can contact our sales team via email at [sales@rksfluid.com](mailto:sales@rksfluid.com) or by phone at +91 9899 999999. We are available 24/7 to assist you.

Q: What are the main applications of RKSfluid products in the industrial sector?

A: RKSfluid products are widely used in various industrial applications, including water treatment, chemical processing, and power generation. Our products are designed to provide reliable and efficient performance in demanding environments.

සමස්ත කාර්යයන් සඳහා සූදාසායනිකව සකස් කළ ඇමරිකානු සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. RKSfluid. සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

.සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. 5 ~ 2 ට අනුකූලව පවතින බවට සහතික කර ඇත.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

1 :pc .සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

.සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. 100 ට අනුකූලව පවතින බවට සහතික කර ඇත.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. TUV API WRAS CE ISO.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. DIN ASME BS EN JIS API AWWA.

සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.

A: RKSfluid සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත. 70 ට අනුකූලව පවතින බවට සහතික කර ඇත. 20 ට අනුකූලව පවතින බවට සහතික කර ඇත. සම්මුතියට අනුකූලව පවතින බවට සහතික කර ඇත.