



سلسلة: صمام الفراشة من الخط المركزي للسلسلة
 حجم الباب: DN50-DN2400 (NPS 1/4-NPS96)
 الضغط: PN6 / PN10 / PN16 / PN25 (1600/3 1000/3 1123 / 150) / ساب
 درجة الحرارة: -29 °C ~ +120 °C
 الجسم: GGG40
 المقعد: NR, NBR, EPDM, سيليكون, فيتون, PTFE
 دويلكس الفولاذ المقاوم للصدأ، البرونز، SS316، SS304، ديسكو / تريم: حديد الدكتايل المطلي الايبوكسي
 STEM: SS316، SS304، SS420، SS416، 2CR13، SS410
 الاتصال: رفاقة، بولي، شفة
 عوالي، GB / T، BS EN، API، DIN، ASME، ISO، ANSI، تصميم المعيار
 شهادة: CE، WRAS، API، ISO9001: 2015، OHSAS18001: 2007
 الطعام، الطب، تحلية، HVAC، التطبيق: المياه، محطة توليد الكهرباء



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



في عام 1997، نحن مختبر إنتاج لكل من مركز مسبك ومعالجة ومركز البحث RKS Fluid تأسست والتطوير ومركز فحص الجودة. تشمل مرافق الإنتاج مراكز التصنيع باستخدام الحاسب الآلي، وخلايا المعالجة المهنية، ومعدات لحام الطيف الواسعة، وخطوط التجميع التلقائي والطلاء. بنينا فريقا للتصميم والبحث والتطوير. أصبح مركز الاختبار الجديد الخاص بنا كدليل على منصة الخدمة العامة في مقاطعة لياونينغ، وحزب جي بي القياسي لوحدة المرجع الصيني الصيني، للمشاركة في تطوير معايير صناعة الصمامات ذات الصلة. من أجل تسريع التوسع في دمج الموارد والموارد الخارجية في الولايات المتحدة، الألمانية، روسيا. لدينا عملاء الولايات RKS ودعم نجاح مبيعات السوائل المعيار الألماني والأمريكي، المعتمدة من قبل GB، ISO، المتحددة. تغطية معايير تصميم منتجاتنا منتجاتنا: صمامات الكرة اليدوية، تعمل بالهواء. TUV L CE و ADWO- 2000، ISO9001، TS، API. المضغوط والكهرباء تعمل بالكهرباء، صمامات الفراشة والصمامات البوابة. فحص الصمامات، صمامات التحكم التلقائي. الصب والتجهيزات: أجساد الصمامات، بونيت، أقراص، ينبع، علبة التروس، المفاصل العالمية، محولات مفرطة، السروج التنصت. بعد سنوات من التطوير، نواصل تحسين وطلب الابتكار أثناء الالتزام بـ "التكنولوجيا المثبتة، الخصائص المتفوقة والقيمة الأسطورية" كفلسفة! لدينا لقيمة المنتج. رضا العملاء هو هدف عملنا!

Our Factory



Exhibition Photos



Our Certificates

