





- Wear-resistant, adapt to different working conditions
- Acid and alkali resistance, high porosity, good gas permeability, high dust collection efficiency

- Anti-static, adapt to different working conditions
- Conductive fiber and stainless steel conductive material ensure better antistatic performance



- Adapt to different working conditions
- Suitable for temperatures below 125°C, better resistance to organic solvents, oxidants, inorganic and organic acids

- High temperature resistance, high strength, acid and alkali corrosion resistance, wear resistance, folding resistance, easy cleaning, water and oil proof, anti-static
- Adapts to different temperature zones
- Low price and wide application





- Significant temperature resistance
- Good chemical resistance, adapt to different working conditions
- Low backflush pressure, high elastic de-filtering efficiency

- Withstand high temperature, suitable for high temperature of flue gas
- Suitable for collection by electric dust collector



- High strength, chemical resistance
- Suitable for harsh environments, adapts to different temperature zones



- Good heat resistance, good dust stripping, reduced energy consumption
- Anti-corrosion, better acid and alkali resistance
- No water absorption, no moisture absorption
- High filtration efficiency



- Chemical resistant, filter bag chemically stable, not burn-in
- Dust removal efficiency is up to 99.99%
- Low pressure loss and low cost of consumables
- Suitable for flue gas purification, dust removal, dust control and material recovery

# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06





1. المنتجات الرئيسية كيس فلتري ، مرشح خرطوشة ، مرشح التنظيف الذاتي ، مرشح وحدات التنظيف الذاتي ، عامل تصفية ، عنصر تصفية ، مادة تصفية ، تحلية مياه البحر ، نظام تحلية المياه ، فلتر شمعة ، PP مرشح.
2. أكثر من عشر سنوات من الخبرة في إنتاج وتطوير المرشحات ، مع العديد من براءات الاختراع الصناعية.
3. توريد شهادات ، API ، AWWA ، ASME ، BS EN ، DIN ، JIS معيار ، TUV ، CE ، ISO9001 ، TS ، OHSAS ، WRAS.
4. توفير حل فصل السائل الصلبة D بناءً على ظروف العمل الفعلية ، البحث والتطوير أمبير المهنية. يمكن للفريق للمرشح

## Exhibition Photos



## Our Certificates



**RKSfluid®**

Tel: 024 2318 0188-899

Email/Skype: ivory@rksfluid.com

Mobile/WhatsApp/Wechat: +86 15140071761

Add: Pump & Valve Industrial Park, No. 5 Panwu Road,  
Liaozhong Dist. Shenyang, Liaoning P.R. China

### التعليمات

q1: كيف يمكننا الحصول على الاقتباس؟

a1: ،، درجة الحرارة ، الضغط عادي يعطينا متوسط

q2: متى هو وقت التسليم؟

a2: تصفية بسيطة 5-10 أيام ، تصميم مرشح 15-90 أيام بناء على طلب مختلف.

q3: ماذا عن مصطلح الدفع؟

a3: التوازن ، التوازن بعد الانتهاء من الإنتاج قبل الشحن. أو كما تمت مناقشته 30% t / t

q4: ما هو موك الخاص؟ هل يمكنني الحصول على طلب عينة؟

a4: يمكننا دعم النظام 1 قطعة ، مرجحا بكم في التحقق من الجودة. نحن نقبل النظام عينة

q5: ما هو مراقبة الجودة الخاصة بك؟ اختبار جميع البضائع الخاصة بك قبل التسليم؟

a5: نعم ، اختبار 100%. سيتم تصحيح الجهاز قبل مغادرة المصنع

q6: يمكنني تخصيص طلبات خاصة مثل المواد و أجزاء؟

a6: بالتأكيد ، قمت بتقديم قائمة الطلبات الخاصة بك ، سوف مهندسينا تغيير النظام الذي تحتاجه ، لضمان عمل الترشيح ممتازة

كيف توفر خدمة ما بعد البيع والتثبيت؟ q7:

سنة الضمان. نحن نقدم التثبيت المؤرشفة ، يرجى الاتصال بنا للحصول على الاقتباس 1: a7: