- Wear-resistant, adapt to different working conditions
- Acid and alkali resistance, high porosity, good gas permeability, high dust collection efficiency

- Anti-static, adapt to different working conditions
- Conductive fiber and stainless steel conductive material ensure better antistatic performance



- Adapt to different working conditions
- Suitable for temperatures below 125℃, better resistance to organic solvents, oxidants, inorganic and organic acids

- High temperature resistance, high strength, acid and alkali corrosion resistance, wear resistance, folding resistance, easy cleaning, water and oil proof, anti-static
- Adapts to different temperature zones
- Low price and wide application

- Significant temperature resistance
- Good chemical resistance, adapt to different working conditions
- Low backflush pressure, high elastic de-filtering efficiency

- Withstand high temperature, suitable for high temperature of flue gas
- Suitable for collection by electric dust collector

- High strength, chemical resistance
- Suitable for harsh environments, adapts to different temperature zones

- Good heat resistance, good dust stripping, reduced energy consumption
- Anti-corrosion, better acid and alkali resistance
- No water absorption, no moisture absorption
- High filtration efficiency



- Chemical resistant, filter bag chemically stable, not burn-in
- Dust removal efficiency is up to 99.99%
- Low pressure loss and low cost of consumables
- Suitable for flue gas purification, dust removal, dust control and material recovery

Our Factory

Company Advantages

01 21 years of professional experience

02 4 factories

03 Independent research and development team
28 top senior professional researchers

04 2 professional testing centers

05 100% high level ex-factory inspection

06 High quality imported materials

07 2 years quality assurance, repair and replacement

1. المنتجات الرئيسية كيس فلتر ، مرشح خرطوشة ، مرشح التنظيف الذاتي ، مرشح وحدات التنظيف الذاتي ، عامل تصفية ، عنصر تصفية ، مادة تصفية ، تحلية مياه البحر ، نظام تحلية المياه ، فلتر شمعة. ، PP مرشح
2. أكثر من عشر سنوات من الخبرة في إنتاج وتطوير المرشحات ، مع العديد من براءات الاختراع الصناعية.
3. توريد شهادات ، OHSAS ، TS ، ISO9001 ، CE ، TUV ، JIS معيار ، DIN ، BS EN ، ASME ، AWWA ، API WRAS.
4. توفير حل فصل السائل الصلبة D بناءً على ظروف العمل الفعلية ، البحث والتطوير أمبير المهنية. يمكن للفريق للمرشح

Exhibition Photos

التعليمات

q1: كيف يمكننا الحصول على الاقتباس؟

a1: درجة الحرارة ، الضغطعادي يعطينا متوسط ،.

q2: متى هو وقت التسليم؟

a2: تصفية بسيطة 5-10 أيام ، تصميم مرشح 15-90 أيام بناء على طلب مختلف.

q3: ماذا عن مصطلح الدفع؟

a3: الودائع ، التوازن بعد الانتهاء من الإنتاج قبل الشحن. أو كما تمت مناقشته 30٪ t / t.

q4: ما هو موك الخاص؟ هل يمكنني الحصول على طلب عينة؟

a4: يمكننا دعم النظام 1 قطعة ، مرحبا بكم في التحقق من الجودة. نحن نقبل النظام عينة.

q5: ما هو مراقبة الجودة الخاصة بك؟ اختبار جميع البضائع الخاصة بك قبل التسليم؟

a5: نعم ، اختبار 100٪. سيتم تصحيح الجهاز قبل مغادرة المصنع.

q6: يمكنني تخصيص طلبات خاصة مثل المواد و أجزاء؟

a6: بالتأكيد ، قمت بتقديم قائمة الطلبات الخاصة بك ، سوف مهندسينا تغيير النظام الذي تحتاجه ، لضمان عمل الترشيح ممتازة

q7: كيف توفر خدمة ما بعد البيع والتثبيت؟
a7: 1 سنة الضمان. نحن نقدم التثبيت المؤرشفة ، يرجى الاتصال بنا للحصول على الاقتباس.