



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings

## DESIGN FEATURES



| SPECIFICATION             |       |      |
|---------------------------|-------|------|
| Nominal pressure (MPa)    | 1.6   |      |
| Testing pressure(MPa)     | Seal  | 2.4  |
|                           | Shell | 1.76 |
| Working pressure (MPa)    | 1.6   |      |
| Suitable temperature (°c) | <80°c |      |
| Suitable medium           | Water |      |

| TECHNICAL REQUIREMENT                              |  |
|--|--|
| 1.Face to face standard: EN 558 Series 14.         |  |
| 2.Flanges standard: BS EN1092-2:1997 PN16.         |  |
| 3.Tests standard: BS EN12266-1:2003 Part 1 Rate A. |  |

### DESCRIPTION :

- ◆ Double Flange Eccentric Resilient Seated Butterfly Valve
- ◆ Size Range DN100-DN3000
- ◆ Standard - ISO / BS / DIN / AWWA /API
- ◆ Tests Standard - BS EN 12266-1
- ◆ Body - Ductile Iron / Cast Iron /Stainless Steel / WCB
- ◆ Disc - Ductile Iron / Cast Iron / Stainless Steel / WCB
- ◆ Body Ring -SS420 / SS304 / SS316
- ◆ Retaining Ring - SS420 / SS304 / SS316
- ◆ Disc Ring -EPDM
- ◆ Shaft - SS420 / SS431 / SS316
- ◆ Fusion Bonded Epoxy Coating - Min 300 Microns

The designs, material and specifications shown are subject to change without notice due to our continuing programme of product development.



DN100-DN600

DN700-DN800

DN900-DN3000

## APPLICATION SCENARIO



# Our Factory



السوائل في عام 1997. نحن ورشة إنتاج لكل من مسبك والآلات ، مركز البحث RKS تأسست وخلايا معالجة محترفة ، ، CNC والتطوير ، ومركز فحص الجودة. تشمل مرافق التصنيع مراكز تصنيع ومعدات لحام واسعة الطيف ، وخطوط تجميع وتجميع أوتوماتيكية. قمنا ببناء فريق للتصميم والبحث GB والتطوير. لدينا مركز اختبار جديد كمركز اختبار منصة الخدمة العامة في مقاطعة لياونينغ ، أصبح القياسية للوحدة المرجعية للصمام الصيني ، للمشاركة في تطوير معايير صناعة الصمام ذات الصلة. من أجل تسريع التوسع في الأعمال التجارية الخارجية وتكامل الموارد ، ودعم نجاح مبيعات السوائل

في الولايات المتحدة الأمريكية والألمانية وروسيا. لدينا وكيل الولايات المتحدة. تغطي معايير RKS ADWO-2000 و CE لـ TUV الألمانية والمعايير الأمريكية، معتمدة من، ISO، GB، تصميم منتجاتنا منتجاتنا: صمامات كروية تعمل يدويًا وكهربائيًا وصمامات فراشة وصمامات API، TS، ISO9001، الأغطية، فحص الصمامات، صمامات التحكم الآلي. المسبوكات والتركيبات: هياكل الصمامات، الأغطية، السيقان، السيقان، صندوق التروس، وصلات عالمية، محولات شفة، التنصت على السروج. بعد سنوات من التطوير، نستمر في تحسين الابتكار والبحث عنه مع الالتزام بـ "تكنولوجيا مثبتة، ميزات فائقة وقيمة أسطورية" فلسفة قيمة منتجاتنا. رضا العملاء هو هدفنا العمل

## Our Certificates



## Exhibition Photos

