



00000000000000000000
 000000000000000000000000000000000000 /00000000



- 000
- 0000
- 1.00
- 2.00
- 3.00
- 4.00000000
- 5.00
- 6.000

- 0000
- 1.00
- 2.000
- 3.00000
- 4.0000



FB

Dn	l	H2	w	
40	230	139	173	3/8"
50	230	139	173	3/8"
65	290	159	198	3/8"
80	310	179	226	3/8"
100	350	214	265	1/2"
125	400	278	307	1/2"
150	480	333	351	1/2"
200	600	600	436	3/4"
250	700	730	524	1"
300	850	850	606	1"

Hightlights

1. DN+2
- 2.
- 3.
4. 100 64
5. FB RB ACD
- 6.
- 6.1 $1.1 * PN + 1 \text{ bar}$
- 6.2 $1.5 * PN + 1 \text{ bar}$
- 6.3 0.2 bar
7. 1000 Hz
- 8.
- 9.



COMPANY INFORMATION



i. 100% CNC processing

ii. CNC processing of all parts

iii. 100% inspection

iv. 100% testing

✓GB✓TUV CE✓ISO 9001✓ADWO-2000✓TS✓PED✓WRC WRAS✓KTW✓KTW✓API 6D✓API609
VI✓ /✓ /✓

COMPANY FACTORY



01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□hrdraulic□□□□□□RKSfluid□□□□□□□□□□□□□□□□□□□

000000000000

00RKSfluid00000000000000

00000000

00000000250000000000000000000000

0000

00000000100

000000000000

00000010000000002000000000000000

000000TUV0API0WRAS0CE0ISO000

0000DIN0ASME0BS EN0JIS0API0AWWA0

0000000000000000000000

00RKSfluid002000000000700000000000000000000000000000