


1. 产品名称：橡胶软接头 / 橡胶减震器
 2. 产品规格：DN150
 3. 产品材质：橡胶 / 金属
 4. 产品重量：约 10kg
 5. 产品标准：GB4216.3-4216.5 产品工作压力：0.6Mpa、1Mpa、1.6Mpa、2.5Mpa





COMPANY QUALIFICATION



Partners



□□□□

□: □□□□□□□□□□□□□□□□
□□□□"□□□□□□□□□□□□□□□□

□: □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□ RKSfluid □□□□□□□□□□□□□□□□□□□□

□: □□□□□□□□□□
□□□ RKSfluid □□□□□□□□□□□□□□□□

□□□□□□
□□□ □□□□□ 2~5 □□□□□□□□□□□□□□□□□□□□

□: □□□□□□
□: □□□□ 1 □□

□: □□□□□□□□□□
□: □□□ 100% □□□□□2 □□□□□□□□□□□□□□□□
□□□□□ TUV□API□WRAS□CE□ISO □□□□
□□□□□ DIN□ASME□BS EN□JIS□API□AWWA□

□: □□□□□□□□□□□□□□□□□□□□
□□□ RKSfluid □□27□□□□70□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□