



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 1997 年 1 月 1 日 成立， 是一家 专业从事 流体控制 系统 研发、 生产、 销售 和 服务 的 高新技术企业。 公司 拥有 先进的 生产设备 和 检测 仪器， 具备 完善 的质量 管理体系 和 售后服务 体系。 公司 产品 广泛应用于 石油、 化工、 电力、 冶金、 船舶、 航空、 航天 等领域。 公司 秉承 “ 质量 第一、 客户 至上 ” 的经营理念， 为客户提供 优质、 可靠 的产品 和服务。 公司 通过了 GB、 ISO、 TUV、 CE、 ADWO- 2000、 ISO9001、 TS、 API 等国际 标准 认证， 产品 符合 国际 标准 要求。 公司 拥有 一支 经验丰富 的技术 团队 和 一支 高素质 的销售 团队， 为客户提供 全方位 的技术 支持和 售后服务。 公司 地址： 中国 山东省 东营市 广饶县 经济开发区 广饶 工业园 1 号路 RKSfluid 1997 年 1 月 1 日 成立， 是一家 专业从事 流体控制 系统 研发、 生产、 销售 和 服务 的 高新技术企业。 公司 拥有 先进的 生产设备 和 检测 仪器， 具备 完善 的质量 管理体系 和 售后服务 体系。 公司 产品 广泛应用于 石油、 化工、 电力、 冶金、 船舶、 航空、 航天 等领域。 公司 秉承 “ 质量 第一、 客户 至上 ” 的经营理念， 为客户提供 优质、 可靠 的产品 和服务。 公司 通过了 GB、 ISO、 TUV、 CE、 ADWO- 2000、 ISO9001、 TS、 API 等国际 标准 认证， 产品 符合 国际 标准 要求。 公司 拥有 一支 经验丰富 的技术 团队 和 一支 高素质 的销售 团队， 为客户提供 全方位 的技术 支持和 售后服务。 公司 地址： 中国 山东省 东营市 广饶县 经济开发区 广饶 工业园 1 号路

I

II

III

IV

V GB TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

### Exhibition Photos



# Our Certificates



□□□□

□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□

□□□□□□□□□□  
□□□□□□□□□□□□ RKSfluid□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□  
□□ RKSfluid□□□□□□□□□□□□□□□□

□□□□□□□□  
□□□□□□□□2□5□□□□□□□□□□□□□□□□□

□□□□□□  
□□□□□□□□1pc□

□□□□□□□□□□  
□□□□□□□□100□□□□□□□□2□□□□□□□□□□□□□□□  
□□□□□□□□TUV□API□WRAS□CE□ISO□□□□□□  
□□□□□□□□DIN□ASME□BS EN□JIS□API□AWWA□

□□□□□□□□□□□□□□□□□□□□



