

DESIGN FEATURES



● TECHNICAL REQUIREMENT

- 1.Design standard:BS 5163.
- 2.Face to face:BS 5163.
- 3.Flanges standard:BS EN1092-2:1997 PN16.
- 4.Test standard:BS EN12266-1 Rate B.

● FEATURES

- Double flange metal seated gate valve
- Size Range:DN50-DN2000
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body Ring-Bronze/SS420/SS304/SS316
- Body-Ductile Iron /Cast Iron/Stainless Steel /WCB
- Fusion bonded epoxy coating-min 300 microns



RELATED PRODUCTS



SMALL DIAMETER GATE VALVE
DN50-DN300,PN10/16/25



METAL SEATED GATE VALVE
DN350-DN600,PN10/16/25



LARGE DIAMETER METAL SEATED GATE VALVE
DN700-DN2000,PN10/16/25

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i. 公司基本情况

ii. CNC 加工

iii. 质量管理体系

iv. 生产能力和设备

v. 符合 GB、TUV CE、ISO 9001、ADWO-2000、TS、PED、WRC WRAS、KTW、KTW、API 6D、API609 等标准

vi. 公司联系方式 / 地址 / 网址

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



公司简介

公司专注于提供高品质的工业流体解决方案，致力于满足客户在各个环节的需求。

我们的核心产品包括：RKSfluid系列，广泛应用于各种工业场景，为客户提供可靠、耐用的流体解决方案。

RKSfluid系列，采用先进的材料和工艺，确保了产品的卓越性能和长久的使用寿命。

我们的产品规格多样，能够满足不同规模和类型的工业需求，从2英寸到5英寸的多种选择。

我们提供定制化的服务，根据客户的具体需求，提供最适合的解决方案。

我们的产品和服务符合多项国际标准和认证，包括TUV、API、WRAS、CE、ISO、DIN、ASME、BS EN、JIS、API、AWWA等，确保产品的质量和安全性。

RKSfluid系列，提供从20到70的多种规格选择，满足不同应用场景的需求。