



- Stem Packing: Ra 0.8m, reliable packing seal
- Structure: Outside Screw and Yoke, Rising stem, Metallic seating surfaces
- Seat: Back seated plug design, Threaded or welded seats
- Stem: Integrally forged
- Nut: ASTM A439 D2

Engineering Projects



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve




Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂整体设计

II 工厂CNC加工

III 工厂设备安装

IV 工厂调试

V 工厂符合GB、TUV CE、ISO 9001、ADWO-2000、TS、PED、WRC WRAS、KTW、API 6D、API609

工厂提供详细的技术方案/图纸/报价单

Exhibition Photos



Our Certificates



□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□
□□□□□□□□□□□□ RKSfluid□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□
□□RKSfluid□□□□□□□□□□□□□□

□□□□□□□
□□□□□□□2~5□□□□□□□□□□□□□□□□□□□□

□□MOQ
□□□□□□□□1pc□

□□□□□□□□□□
□□□□□100□□□□□□2□□□□□□□□□□□□□□□□
□□□□□TUV□API□WRAS□CE□ISO□□□□
□□□□□DIN□ASME□BS EN□JIS□API□AWWA□

□□□□□□□□□□□□□□□□
□□RKSfluid□□20□□□□□□70□□□□□□□□□□□□□□□□□□□□□□□□