


100% 100%

20 DN25 DN32 DN40 DN50

DN20-32 DN40-50 DI

- BSPP BSPT NPT
- 100%
- 100% 100%
- 100%
- 100%
- WRAS
- EN-12266-1 A
- EN1074-2
- BSP EN10226/1 EN ISO 228-1 G NPT



DN	G/BSP	L (mm)	Weight (kg)	Volume (m³)	Volume (m³)
DN20	3/4"	95	145	27	15
DN25	1"	105	145	30	15
DN32	1 1/4"	120	150	32	15
DN40	1 1/2"	130	202	37	30
DN50	2"	150	197	45	30



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



I 公司基本情况

II 公司主要业务

III 公司主要客户

IV 公司主要供应商

V 公司主要资质 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

公司主要荣誉/奖项/资质证书

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



