


1. 本产品的详细尺寸和重量
 2. 本产品的详细重量
 3. 本产品的详细重量



1. 本产品的详细尺寸和重量
 2. 本产品的详细重量
 3. 本产品的详细重量

1	DN200-DN1800
2	PN10 PN16 PN25 PN40
3	100
4	≤80°C
5	EN 593 EN1074-1/2
6	EN558 13 14
7	100 HVAC 100-125 mm-7



RKSfluid
www.rksfluid.com

RKSfluid (Yingkou) Flow Control Company



SGS CE WRAS

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 100% 100% 100% 100% 100% 100%

ii CNC 100% 100% 100% 100% 100% 100%

iii 100% 100% 100% 100% 100% 100%

iv 100% 100% 100% 100% 100% 100%

v GB 100% 100% 100% TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW KTW API 6D API609

VI 100% 100% 100% 100% 100% 100% / 100% / 100%

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





```

rksfluid 27 70 RD

```