



## DESIGN FEATURES

### Features

1. Streamlined: minimum noise
2. Anti-static design
3. Double Block & Bleed
4. Automatic Self-Venting Seats
5. Emergency Protection



# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# COMPANY INFORMATION



i 质量管理体系

ii CNC 质量管理体系

iii 质量管理体系

iv 质量管理体系

v GB 质量管理体系 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW KTW API 6D API609

VI 质量管理体系 / 体系 / 体系



01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

## COMPANY QUALIFICATION



## COMPANY EXHIBITION



□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□  
□□□□□□□□hrdraulic□□□□□□ RKSfluid□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□  
□□RKSfluid□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□  
□□□□□□□□2□5□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□  
□□□□□□□□1□□

□□□□□□□□□□□□□□□□□□  
□□□□□□100□□□□□□□□2□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□TUV□□API□□WRAS□□CE□□ISO□□□□  
□□□□□□DIN□□ASME□□BS EN□□JIS□□API□□AWWA□

□□□□□□□□□□□□□□□□□□  
□□RKSfluid□□20□□□□□□□□□□70□□□□□□□□□□□□□□□□□□□□□□□□□□