


[illegible]

3. 24

DN	DN200-DN1800
PN	PN10 PN16 PN25 PN40
Temp	≤80°C
EN	EN 593 EN1074-1/2
EN	EN558 13 14
Material	Cast iron



RKSfluid
www.rksfluid.com

RKSfluid (Yingkou) Flow Control Company



SGS CE WRAS



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY INFORMATION



I 质量管理体系

II 环境管理体系

III 职业健康安全管理体系

IV 能源管理体系

V 产品认证 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

其他认证 质量管理体系/环境管理体系/职业健康安全管理体系

COMPANY FACTORY



COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



□□□□□□

□: □□□□□□□□□□□□□□
□□□□"□□□□□□□□□□□□□□
□: □□□□□□□□□□□□□□
□□□□□□□□□□□□□□ RKSfluid □□□□□□□□□□□□□□□□□□
□: □□□□□□□□□□
□□ RKSfluid □□□□□□□□□□□□□□□□□□

□□□□□□
□□ □□□□ 2~5 □□□□□□□□□□□□□□□□□□

□: □□□□□
□: □□□□ 1 □□

□: □□□□□□□□
□: □□□ 100% □□□□□2 □□□□□□□□□□□□□□
□□□□□ TUV□API□WRAS□CE□ISO □□□□
□□□□ DIN□ASME□BS EN□JIS□API□AWWA□

□: □□□□□□□□□□□□□□□□□□
□□ RKSfluid □□27□□□□70□□□□□□□□□□□□□□□□□□□□□□□□