

[illegible]

COMPANY FACTORY



1. ☐ ☐
2. ☐ ☐
3. ☐ ☐
4. ☐ ☐ ☐ ☐ ☐ ☐
5. ☐ ☐
6. ☐ ☐ ☐

- 1□□□
2□□□□
3□□□□□□
4□□□□□

□□ - □□FB□					
Dn	l	H2	H1	w	□□
40	230	139	85	173	3/8"
50	230	139	85	173	3/8"
65	290	159	95	198	3/8"

80	310	179	102	226	3/8"
100	350	214	112	265	1/2"
125	400	278	127	307	1/2"
150	480	333	145	351	1/2"
200	600	600	172	436	3/4"
250	730	730	205	524	1"
300	850	850	232	606	1 1/4"

Hightlights

1. 100% 316L stainless steel DN2"
2. 100% 316L stainless steel
3. 100% 316L stainless steel
4. 100% 316L stainless steel 64mm
5. 100% FB 100% RB 100% ACD
6. 100% 1.1 * PN 1 bar
- 6.1 100% 1.5 * PN 1 bar
- 6.2 100% 0.2 bar
- 6.3 100% 1000 Hz
7. 100% 1000 Hz
8. 100% 1000 Hz
9. 100% 1000 Hz
1. 100% 316L stainless steel DN2"
2. 100% 316L stainless steel
3. 100% 316L stainless steel 24mm
4. 100% 316L stainless steel 24mm



COMPANY INFORMATION



- i 精密加工
- ii CNC 精密加工
- iii 精密加工
- iv 精密加工
- v GB 精密加工 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW KTW API 6D API609
- VI 精密加工 精密加工 / 精密加工



COMPANY QUALIFICATION





Partners



□□□□

[illegible]

□□□□□□□□□□□□□□□□
 □□□□□□□□hrdraulic□□□□□□ RKSfluid □□□□□□□□□□□□□□□□□□□□

□□□□□□□□
□□ RKSfluid □□□□□□□□□□□□□□

25

□□□□
□□□□□□□1□□

100%
 TUV API WRAS CE ISO
 DIN ASME BS EN JIS API AWWA

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

RKSfluid
27
70