

[illegible]

COMPANY FACTORY



1. ☐☐
2. ☐☐
3. ☐☐
4. ☐☐☐☐☐☐
5. ☐☐
6. ☐☐☐

- 1□□□
2□□□□
3□□□□□□
4□□□□□

□□ - □□FB□					
Dn	l	H2	H1	w	□□
40	230	139	85	173	3/8"

50	230	139	85	173	3/8"
65	290	159	95	198	3/8"
80	310	179	102	226	3/8"
100	350	214	112	265	1/2"
125	400	278	127	307	1/2"
150	480	333	145	351	1/2"
200	600	600	172	436	3/4"
250	730	730	205	524	1"
300	850	850	232	606	1 1/4"

Hightlights

- 1. 1000mm 1000mm DN200
- 2. 1000mm 1000mm
- 3. 1000mm 1000mm
- 4. 1000mm 1000mm 64mm
- 5. 1000mm FB 1000mm RB 1000mm ACD
- 6. 1000mm 1000mm
- 6.1. 1000mm 1.1 * PN 1 bar
- 6.2. 1000mm 1.5 * PN 1 bar
- 6.3. 1000mm 0.2 bar
- 7. 1000 1000 Hz 1000mm 1000mm
- 8. 1000mm 1000mm

□□□□□24□□



v GB TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW KTW API 6D API609

VI 0000 0000000000000000000000 / / 0000000000



COMPANY QUALIFICATION





Partners



1111

□□□□□□□□□□□□□□□□
□□□□“□□□□□□□□□□□□□□□□

hrdraulic RKSfluid

□□□□□□□□
□□ RKSfluid □□□□□□□□□□□□□□□□

2⁵

□□□□
□□□□□□□1□□

100%
 TUV API WRAS CE ISO
 DIN ASME BS EN IIS API AWWA

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

RKSfluid 270