


RKSfluid®
Proven Technology-Superior Features-Legendary Value



材料 WCB / CF8 / CF8M / CF3 / CF3M
连接形式 法兰/螺纹/焊接
口径 150LB-600LB
压力 1/2"~12" DN15-DN300



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

[illegible][illegible]

□ □

[illegible]

V[®] GB TÜV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

[illegible]

Exhibition Photos





`RKSfluid`

```
0000000000000000
00RKSfluid0000000000000000
```

□□□□□□
□□□□□□□□□□2□5□□□□□□□□□□□□□□

□□□□□
□□□□□□□□1pc□

100%
 TUV API WRAS CE ISO
 DIN ASME BS EN JIS API AWWA

□□□□□□□□□□□□□□□□

RKSfluid 2070