

RKSfluid®


A key Valve in Flow Control

Butterfly Valve Ball Valve Gate Valve Globe Valve Check Valve Pipe Fittings



- Sufficient pollution capacity
extensive chemical compatibility
- Uniform pore distribution, high
filtration efficiency and large area
- Avoid secondary pollution, used
for high pressure conditions

- Extensive chemical compatibility
- Gradient pore structure can remove particles of different particle sizes
- Can avoid secondary pollution, deep filtration, high capacity
- Low initial differential pressure and high flux



- Combined folding structure, acid and alkali resistance
- The filtration accuracy is over 99.5%
- Low differential pressure, wide aperture range

- High flow rate, long life, high rejection rate
- Good compression resistance, sturdy and durable
- Less replacement times, reducing costs



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



1. 100% PP
- 2.
3. API AWWA ASME BS EN DIN JIS TUV CE ISO9001 TS OHSAS WRAS R& D

Exhibition Photos



Our Certificates





RKSfluid®

Tel: 024 2318 0188-899

Email/Skype: ivory@rksfluid.com

Mobile/WhatsApp/Wechat: +86 15140071761

Add: Pump & Valve Industrial Park, No. 5 Panwu Road,
Liaozhong Dist. Shenyang, Liaoning P.R. China

□□□□

Q1□□□□□□□□□□

A1□□□□□□□□□□□□

Q2□□□□□□□□

A2□□□□□5-10□□□□□□□□□□□□15-90□□

□□3□□□□□□□□

A3□T / T 30□□□□□□□□□□□□□□□□□□□□

Q4□□□□□□□□□□□□□□□□□□

A4□□□□□□□1pc□□□□□□□□□□□□□□□□□□□

Q5□□□□□□□□□□□□□□□□□□

A5□□□□100□□□□□□□□□□□□□□

Q6□□□□□□□□□□□□□□□□

A6□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□7□□□□□□□□□□□□

A7□□□1□□□□□□□□□□□□□□□□□□