



RKSfluid®
Reliability Keeps Safety





- 产品特点
1. 采用优质不锈钢材料
 2. 工作压力可达1MPa
 3. 结构紧凑，占地面积小
 4. 操作简便，维护方便

COMPANY INFORMATION





1. Material Specification: PP
2. Dimensions:
3. Supply API AWWA ASME BS EN DIN JIS
Standard TUV CE ISO9001 TS OHSAS WRAS
4. Packaging:

Exhibition Photos



Our Certificates



□□□□

Q1□□□□□□□□□□

A1□□□□□□□□□□□□□□

Q2□□□□□□□□□□

A2□□□□□□□5-10□□□□□□□□□□□□□□□□15-90□□

□□**3**□□□□□□□□

A3□T/T 30□□□□□□□□□□□□□□□□□□□□□□□□

Q4□□□□□□□□□□□□□□□□□□

A4□□□□□□□□1PC□□□□□□□□□□□□□□□□□□□□□□

Q5□□□□□□□□□□□□□□□□□□□□□□

A5□□□□□100□□□□□□□□□□□□□□□□□□□□

□□**6**□□□□□□□□□□□□□□□□□□□□□□

A6□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□**7**□□□□□□□□□□□□□□□□□□□□□□

A7□□□1□□□□□□□□□□□□□□□□□□□□□□□□□□□□