

## DESIGN FEATURES



- 1.Elastic stainless steel sealing ring,"0"leakage
- 2.Fireproof structural design,blow-out proof stems
- 3.Auto welding plasma powder surfacing valve seat
- 4.Hollow design, reduces flow resistance
- 5.Interchangeable DSS entity seal / multiple-piece
- 6.stainless and graphite seal
- 7.ISO5211 Mounting platform,simple connection



# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



## COMPANY INFORMATION



I

II

III

IV

V TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

VI

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

# COMPANY QUALIFICATION



## COMPANY EXHIBITION



## Partners



Delivery



Payment



□□□□

□: □□□□□□□□□□□□□□□□  
□□□□"□□□□□□□□□□□□□□□□

□: □□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□ RKSfluid □□□□□□□□□□□□□□□□□□

□: □□□□□□□□□□  
A□ RKSfluid □□□□□□□□□□□□□□□□

□□□□□□  
A□ □□□□ 2~5 □□□□□□□□□□□□□□□□

□: □□□□□  
□: □□□□ 1 □

□: □□□□□□□□□□  
□: □□□ 100% □□□□□2 □□□□□□□□□□□□□□□□  
□□□□□ TUV□API□WRAS□CE□ISO □□□□  
□□□□ DIN□ASME□BS EN□JIS□API□AWWA□

□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
A□ RKSfluid □□20□□□□□70□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□