


1. 产品名称：ATHENA
 2. 规格：DN200-DN1800
 3. 压力等级：PN10 PN16 PN25 PN40
 4. 温度等级：≤80°C
 5. 标准：EN 593 EN1074-1/2
 6. 重量：EN558 13 14
 7. 应用：HVAC 系统



1. 产品名称：ATHENA
 2. 规格：DN200-DN1800
 3. 压力等级：PN10 PN16 PN25 PN40
 4. 温度等级：≤80°C
 5. 标准：EN 593 EN1074-1/2
 6. 重量：EN558 13 14
 7. 应用：HVAC 系统

1	DN200-DN1800
2	PN10 PN16 PN25 PN40
3	≤80°C
4	EN 593 EN1074-1/2
5	EN558 13 14
6	HVAC 系统



RKSfluid
www.rksfluid.com

RKSfluid (Yingkou) Flow Control Company



SGS CE WRAS

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 工厂位于中国山东省潍坊市青州市

ii 工厂CNC加工中心位于中国山东省潍坊市青州市

iii 工厂位于中国山东省潍坊市青州市

iv 工厂位于中国山东省潍坊市青州市

v 工厂符合GB 15592-2005 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW KTW API 6D API609

VI 工厂符合 ISO 14001 / ISO 45001 / ISO 9001

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





RKSfluid 2770