



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings

## Product Description



### Super Anti-corrosion

Epoxy powder coating **200-250µm**, baking varnish over **200°C**, use  material.



Free wedge nut, reduces the **stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for better resistance to axial load and to withstand higher operating torques.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

# Our Factory



I. 工厂概况

II. CNC加工中心及机加车间

III. 液压车间


IV. 热处理车间

V. GB、CE、TUV、ISO 9001、ADWO-2000、TS、PED、WRC、WRA、KTW、API 6D、API609

第六章：售后服务/技术支持/质量保证



## Why choose us



## Exhibition Photos



## Our Certificates



ISO 9001

ISO 14001  
- ISO 45001

WRAS Approved

- ဗိုလ်ချုပ်ရေအားလုံး RKSfluid ဗိုလ်ချုပ်ရေအားလုံး

ဗိုလ်ချုပ်ရေအားလုံး

၂၂RKSfluid ဗိုလ်ချုပ်ရေအားလုံး

D ဗိုလ်ချုပ်

၂၂၂၅၂၁၅ ဗိုလ်ချုပ်ရေအားလုံး

D ဗိုလ်ချုပ်

A ဗိုလ်ချုပ် 1PC ဗိုလ်ချုပ်

ဗိုလ်ချုပ်ရေအားလုံး

- ဗိုလ်ချုပ် 100 ဗိုလ်ချုပ် 2 ဗိုလ်ချုပ်ရေအားလုံး

၂၂၃၀Tuv ဗိုလ်ချုပ် API ဗိုလ်ချုပ် WRA ဗိုလ်ချုပ် CE ဗိုလ်ချုပ် ISO ၂၂၃၀

၂၂၃၁DIN ဗိုလ်ချုပ် ASME ဗိုလ်ချုပ် BS ဗိုလ်ချုပ် EN ဗိုလ်ချုပ် JIS ဗိုလ်ချုပ် API ဗိုလ်ချုပ် AWWA ဗိုလ်ချုပ်

ဗိုလ်ချုပ်ရေအားလုံး

၂၂RKSfluid ဗိုလ်ချုပ် ၂၀၂၀၂၀၇၀ ဗိုလ်ချုပ်ရေအားလုံး