




RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

RANGE

- For DI, AC, PVC and Fibre cement pipes
- Dimension from **32-315mm**



Ductile iron



Fibre
Cement



Poly Vinyl
Chloride

LOW COST

- Structure compact and **convenient operation**

RELIABLE

- **EPDM gasket** to EN681-1
- **Anti-corrosive** coating
- Bichromated bolts on series 790

MATERIAL

- S700 & S750: Grey Cast Iron **EN-GJL-250** Quality
- S790: ductile iron **EN-GJS-400-15** Quality

APPLICATION SCENARIO



Industrial water
application



Hydroelectric
generation



Sewage treatment



Water treatment



Water supply
and drainage



Water transport



Pipe network
in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 100% High level ex-factory inspection

II CNC precision processing

III 21 years of professional experience

IV 2 years quality assurance, repair and replacement

V GB, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

● 各種規格品・標準品・特注品・受注生産品

● 各種規格品・標準品・特注品・受注生産品
● RKSfluid 各種規格品・標準品・特注品・受注生産品

● 各種規格品・標準品・特注品・受注生産品
● RKSfluid 各種規格品・標準品・特注品・受注生産品

● 各種規格品・標準品・特注品・受注生産品
● 2~5 各種規格品・標準品・特注品・受注生産品

● MOQ
● 1pc

● 各種規格品・標準品・特注品・受注生産品
● 100 各種規格品・標準品・特注品・受注生産品
● TUV API WRAS CE ISO
● DIN ASME BS EN JIS API AWWA

● 各種規格品・標準品・特注品・受注生産品
● RKSfluid 20 各種規格品・標準品・特注品・受注生産品 70