



Pneumatic Scraper Type Self-cleaning Filter



- ◆ Single machine continuous filtration, no need frequent manual cleaning
- ◆ Always keep the filter clean and waste material
- ◆ Self-cleaning when normal filtration, flow does not interrupt
- ◆ Regular discharge of high concentration slag

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



1. 通过ISO9001质量管理体系认证
2. 通过ISO14001环境管理体系认证
3. 通过API、AWWA、ASME、BS EN、DIN、JIS、TUV、CE、ISO9001、TS、OHSAS、WRAS、R&D等认证

Exhibition Photos



Our Certificates





RKSfluid®

Tel: 024 2318 0188-899

Email/Skype: ivory@rksfluid.com

Mobile/WhatsApp/Wechat: +86 15140071761

Add: Pump & Valve Industrial Park, No. 5 Panwu Road,
Liaozhong Dist. Shenyang, Liaoning P.R. China

□□□□

Q1□□□□□□□□□□

A1□□□□□□□□□□□□□□

Q2□□□□□□□□

A2□□□□□5-10□□□□□□□□□□□□□□15-90□□

□□3□□□□□□□□

A3□T / T 30□□□□□□□□□□□□□□□□□□□□□□□□

Q4□□□□□□□□□□□□□□□□□□

A4□□□□□□□□1pc□□□□□□□□□□□□□□□□□□□□

Q5□□□□□□□□□□□□□□□□□□

A5□□□□100□□□□□□□□□□□□□□

Q6□□□□□□□□□□□□□□□□

A6□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□7□□□□□□□□□□□□

A7□□□1□□□□□□□□□□□□□□□□□□