

## Product Description



### Super Anti-corrosion

Epoxy powder coating **200-250µm**, baking varnish over **200°C**, use  material.



Free wedge nut, reduces the **stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for better resistance to axial load and to withstand higher operating torques.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## Design standard

Design standard	BS EN 1171 ANSI
Flange	GB/T 17241.6-2008、 DIN 2633-1975、 BS EN1902-2
Face to face	GB/T 12221-2005、 ISO 5752-1988、 BS EN558-1(F4、 F5)
Test standard	EN12266

## Specification

Size	DN50-900
Pressure	PN10 PN16 class150
Medium	Water
Temperature	0°C~90°C

# PRODUCT DISPLAY



# SHIPPING PACKAGING



## COMPANY INFORMATION



RECKORD INDUSTRIAL CO., LTD.

RECKORD INDUSTRIAL CO., LTD.

III. 产 品 特 性

IV. 产 品 质 量

V. 产 品 认 取

GB/T 12220-2007 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRA KTW API 6D API609

VI. 产 品 例 图



## Exhibition Photos



## Our Certificates



ISO 9001

ISO 14001/ISO 45001

- API 653 API 620

WRAS Approved Scheme

- ဗိသုက္ပါယ်Hrdraulicနှင့် RKSfluidနှင့်အတွက်အထူးဆုံး

အသုသနများ

၏RKSfluidနှင့်အတွက်အထူးဆုံး

အသုသနများ

အသုသန205နှင့်အတွက်အထူးဆုံး

၏Moq.

Aမြတ်စွာ1PC၏

အသုသနများ

- အသုသန100အသုသန2အတွက်အထူးဆုံး

အသုသနTUV၊ API၊ WRA၊ CE၊ ISO၊

အသုသနDIN၊ ASME၊ BS EN၊ JIS၊ API၊ AWWA၊

အသုသနများ

၏RKSfluidနှင့်20အတွက်အထူးဆုံး