

DESIGN FEATURES

DURABLE


- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%

ANTI-CORROSION

- Material: Epoxy powder:  Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 工厂拥有完善的质量管理体系

ii 工厂CNC加工设备齐全，能够满足各种精密加工需求

iii 工厂拥有专业的研发团队，能够为客户提供定制化的解决方案

iv 工厂拥有完善的生产设备，能够满足大批量生产的需求

v 工厂通过了GB/T 19001-2016/ISO 9001:2015、ADWO-2000、TS 16949、PED、WRC WRAS、KTW、KTW、API 6D、API 609等认证

vi 工厂拥有完善的质量管理体系，能够为客户提供高质量的产品和服务



COMPANY QUALIFICATION





RKSfluid 2070

