

## DESIGN FEATURES

### HIGHLY CUSTOMIZABLE

- According to **customer requirements**



### OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

### CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large Dia & Even pressures up to 100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

### APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**

### DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

### MATERIAL

- Epoxy powder:  , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**



## APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewagetreatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



## Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

02  
4 factories

04  
2 professional testing centers

06  
High quality imported materials



I. 21 years of professional experience

II. Independent research and development team

III. 100% high level ex-factory inspection

IV. 2 years quality assurance, repair and replacement

V. Certified by TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

Address: No. 100, Shuanghe Street, Huarong District, Ezhou City, Hubei Province, China

## Exhibition Photos



## Our Certificates



ISO9001

Q: 中国瑞星流体设备有限公司  
公司名称"中国瑞星流体设备有限公司"

Q: 中国瑞星流体设备有限公司  
公司名称"中国瑞星流体设备有限公司" RKSfluid 中国瑞星流体设备有限公司

A: 中国瑞星流体设备有限公司  
A: RKSfluid 中国瑞星流体设备有限公司

联系方式  
A: 电话 2~5 中国瑞星流体设备有限公司

□: □□□□  
□: □□□□ 1 □□

□: □□□□□□□  
□: □□ 100% □□□□2 □□□□□□□□□  
□□□□ TUV□API□WRAS□CE□ISO □□  
□□□□ DIN□ASME□BS EN□JIS□API□AWWA□