Serie: Schmetterlingsventil der zentralen Linie der Serie
Türgröße: DN50-DN2400 (NPS1 1/4-NPS96)
Druck: PN6 / PN10 / PN16 / PN25 (Klasse 150) / SABS 1123 1000/3 1600/3
Temperatur: -29 ~ + 120
Körper: Duktiler Eisen: GGG40
Sitz: NR, NBR, EPDM, Viton, Silikon / PTFE-Gummi
Disco / Trim: Epoxy beschichtetes Duktilbügeleisen, SS316, SS304, Edelstahl-Duplex, Bronze
Stiel: SS316, SS304, SS420, SS416, 2CR13, SS410
Anschluss: Wafer, Jul, Flansch
Design Standard: API, DIN, ASME, ISO, ANSI, GB / T, BS EN, AWWA
Zertifikat: CE, Wras, API, ISO9001: 2015, OHSAS18001: 2007
Anwendung: Wasser, Kraftwerk, HVAC, Lebensmittel, Medizin, Entsalzung

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

RKS-Flüssigkeit wurde 1997 gegründet. Wir sind ein Produktionslabor für Gießerei- und Verarbeitungs-, Forschungs- und Entwicklungszentrum und Qualitätsinspektionszentrum. Die Produktionsstätten umfassen CNC-Bearbeitungszentren, professionelle Verarbeitungszellen, geräumige Spektrumschweißgeräte, automatische Montage- und Beschichtungsleitungen. Wir haben ein Team für Design, Forschung und Entwicklung gebaut. Unser neues Testcenter als Nachweis der öffentlichen Dienstplattform in der Provinz Liaoning wird zum Standard-GB der chinesischen Ventilreferenzeinheit, um an der Entwicklung der relevanten Ventilindustrie Normen teilzunehmen. Um den Ausbau der Integration der Integration in Überseeressourcen und Ressourcen zu beschleunigen und den Erfolg von RKS-Flüssigkeitsumsätzen in den Vereinigten Staaten, Deutsch, Russland zu unterstützen. Wir haben US-Agenten. Unsere Produktdesignstandards decken: GB, ISO, Deutsch und Amerikanischer Standard, von TÜV für CE und ADWO- 2000, ISO9001, TS, API genehmigt. Unsere Produkte: manuelle Kugelhähne, pneumatisch und elektrisch betätigte elektrisch betätigte, Schmetterlingsventile und Gateventile. Ventile prüfen, automatische Steuerventile. Gieß- und Armaturen: Ventilkörper, Motorhaube, Scheiben, Stiele, Getriebe, Universalgelenke, Flanschadapter, Sättel klopfen. Nach jahrelanger Entwicklung verbessern wir weiterhin, um Innovationen zu verbessern, während wir "bewährte Technologie, überlegene Merkmale und legendärer Wert" als unsere Philosophie des Produkts des Produkts einhalten. Kundenzufriedenheit ist unser Arbeitsziel!

Our Factory

Exhibition Photos

Our Certificates