



**RKSfluid®**  
A key Valve in Flow Control



Butterfly Valve    Ball Valve    Gate Valve    Globe Valve    Check Valve    Pipe Fittings



- Wear-resistant, adapt to different working conditions
- Acid and alkali resistance, high porosity, good gas permeability, high dust collection efficiency

- Anti-static, adapt to different working conditions
- Conductive fiber and stainless steel conductive material ensure better antistatic performance



- Adapt to different working conditions
- Suitable for temperatures below 125°C, better resistance to organic solvents, oxidants, inorganic and organic acids

- High temperature resistance, high strength, acid and alkali corrosion resistance, wear resistance, folding resistance, easy cleaning, water and oil proof, anti-static
- Adapts to different temperature zones
- Low price and wide application






- Significant temperature resistance
- Good chemical resistance, adapt to different working conditions
- Low backflush pressure, high elastic de-filtering efficiency

- Withstand high temperature, suitable for high temperature of flue gas
- Suitable for collection by electric dust collector



- High strength, chemical resistance
- Suitable for harsh environments, adapts to different temperature zones

- Good heat resistance, good dust stripping, reduced energy consumption
- Anti-corrosion, better acid and alkali resistance
- No water absorption, no moisture absorption
- High filtration efficiency



- Chemical resistant, filter bag chemically stable, not burn-in
- Dust removal efficiency is up to 99.99%
- Low pressure loss and low cost of consumables
- Suitable for flue gas purification, dust removal, dust control and material recovery

# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



1. Principalement des produits Sac de filtre, filtre à cartouche, filtre autonettoyant, filtre autonettoyant modulaire, filtre PP, filtre, élément filtrant, matériau filtrant, dessalement de l'eau de mer, système de dessalement portatif, filtre à bougies.
2. Plus de dix ans d'expérience dans la production et le développement de filtres, avec de nombreux brevets d'invention industrielle.
3. Fourniture des certificats API, AWWA, ASME, BS EN, DIN, JIS standard, TUV, CE, ISO9001, TS, OHSAS, WRAS.
4. Basé sur les conditions de travail réelles, R & ampli professionnel; L'équipe D peut fournir la solution de séparation solide-liquide du filtre

### Exhibition Photos



## Our Certificates



Tel: 024 2318 0188-899  
Email/Skype: ivory@rksfluid.com  
Mobile/WhatsApp/Wechat: +86 15140071761  
Add: Pump & Valve Industrial Park, No. 5 Panwu Road,  
Liaozhong Dist. Shenyang, Liaoning P.R. China

### FAQ

Q1: Comment pouvons-nous obtenir un devis?

A1: La normale nous donne la moyenne, la température, la pression.

Q2: combien de temps est le délai de livraison?

A2: Filtre simple 5-10 jours, filtre de conception 15-90 jours sur demande différente.

Q3: qu'en est-il des conditions de paiement?

A3: T / T 30% d'acompte, solde après production terminée avant expédition. Ou comme discuté.

Q4: Quel est votre MOQ? Puis-je avoir un exemple de commande?

A4: nous pouvons soutenir la commande 1pc, bienvenue pour vérifier notre qualité. Nous acceptons l'ordre d'échantillon.

Q5: Quel est votre contrôle qualité? Testez toutes vos marchandises avant la livraison?

A5: Oui, test à 100%. L'équipement sera débogué avant de quitter l'usine.

Q6: Puis-je personnaliser des demandes spéciales telles que des matériaux et des pièces?

A6: Bien sûr, vous fournissez votre liste de demandes. Nos ingénieurs modifieront le système

dont vous avez besoin pour assurer un excellent travail de filtration.

Q7: Comment fournissez-vous le service après-vente et l'installation?

A7: garantie d'un an. Nous fournissons une installation archivée, s'il vous plaît contactez-nous pour un devis.