



## DESIGN FEATURES



### FEATURES

- ◆ Wafer type double flange butterfly valve
- ◆ Size: DN32–DN2400(NPS1 1/4–NPS96)
- ◆ Design Standard: API, DIN, ASME, ISO, ANSI, GB/T, BS EN, AWWA
- ◆ Connection: Wafer, Lug, U-Section
- ◆ Pressure: PN6–PN10–PN16(Class 150)
- ◆ Temperature:  $-29^{\circ}\text{C} \sim +120^{\circ}\text{C}$
- ◆ Valve seat: NBR, EPDM, Viton, Silicone Rubber
- ◆ Valve stem: SS316, SS304, SS420, SS416
- ◆ Application: Water, Power plant, HVAC, Food, Medicine, Desalination



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



RKSfluid è stata fondata nel 1997. Siamo un laboratorio di produzione sia per la fonderia e la lavorazione, ricerca e centro di sviluppo, e il centro di controllo di qualità. la produzione servizi includono centri di lavoro a controllo numerico, le cellule di elaborazione professionale, ad ampio spettro

attrezzature, assemblaggio automatico di saldatura e rivestimento linee.  
Abbiamo costruito una squadra per la progettazione,  
Ricerca e Sviluppo. Il nostro nuovo centro di prova come un servizio pubblico  
centro di test piattaforma  
Provincia di Liaoning, diventato lo standard GB del gruppo di riferimento della  
valvola cinese, a partecipare  
nello sviluppo dei relativi standard di settore della valvola. Al fine di accelerare  
il  
espansione del business integration e di risorse all'estero, e per sostenere il  
successo di RKS  
le vendite dei fluidi negli Stati Uniti, Germania, Russia. Abbiamo US Agent. I  
nostri standard di progettazione del prodotto  
copertina: GB, ISO, tedesco e American Standard, approvato dal TUV per CE e  
ADWO- 2000  
ISO9001, TS, API. I nostri prodotti: manuali, pneumatico e valvole a sfera ad  
azionamento elettrico,  
Le valvole a farfalla e valvole a saracinesca. Valvole di ritegno, valvole di  
controllo automatico. fusioni e  
Raccordi: corpi valvola, cofani, dischi, steli, Gear Box, Universal Giunti, flangia  
Adattatori,  
Toccando anni Saddles.After di sviluppo, continuiamo a migliorare e cercare  
l'innovazione  
mentre aderendo a "Tecnologia collaudata, Superiore Caratteristiche e valore  
Legendary" come il nostro  
filosofia valore del prodotto. La soddisfazione del cliente è il nostro obiettivo di  
lavoro!  
I Settore di attività: prodotti per il controllo dei fluidi, la tecnologia e prodotti per  
la protezione ambientale.

Il CNC avanzata lavorazione centri, cellule processo professionale,  
apparecchiature di saldatura, linee di assemblaggio automatico e rivestimento.

III unità standard di riferimento della Cina, per partecipare allo sviluppo di  
standard di settore rilevanti della valvola.

IV Abbiamo istituito un centro di ricerca e sviluppo a Houston, in Texas, negli  
Stati Uniti.

V standard del prodotto: GB, tedesco standard, American Standard, TUV CE, ISO  
9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

produzione VI principale: valvola a farfalla, valvole a sfera, valvola a saracinesca, valvola di ritegno, valvole a globo, raccordi, / pneumatico / attuatore elettrico manuale, parti di valvola.

## Our Certificates



## Exhibition Photos

