



DESIGN FEATURES

DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%


ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





APPLICATION SCENARIO



Industrial water
application



Power plant



Sea water
desalination



Water treatment



Water supply
and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂占地面积约 10000 平方米

II 工厂 CNC 加工设备约 50 台

III 工厂拥有约 500 名员工

IV 工厂拥有约 100 台检测设备

V 工厂拥有 GB 15832-2009 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

VI 工厂拥有约 1000 吨起重能力 / 约 1000 吨 / 约 1000 吨

Exhibition Photos



Our Certificates



Q 貴社が提供している製品は、どのような用途に使用されていますか？

A 貴社が提供している製品は、主に工業用機器の部品として使用されています。

Q 貴社の製品は、どのような規格や標準に準拠していますか？

A 貴社の製品は、主に RKSfluid の規格に準拠しています。また、USA の規格にも準拠しています。

Q 貴社の製品は、どのような材質で製造されていますか？

A RKSfluid の製品は、主に 4 種類の材質で製造されています。

Q 貴社の製品は、どのようなサイズで提供されていますか？

A 貴社の製品は、主に 2 から 5 のサイズで提供されています。

Q MOQ

A 貴社の MOQ は 1 です。

Q 貴社の製品は、どのような認証を取得していますか？

A 貴社の製品は、100 から 2 の認証を取得しています。

TUV API WRAS CE ISO 9001

DIN ASME BS EN JIS API AWWA

Q 貴社の製品は、どのような保証期間がありますか？

A RKSfluid の製品は、20 から 70 年の R&D を行っており、品質が保証されています。