


□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□



□□□

□□□□

1. □□□□□□

2. □□

3. □□□□□□□□

4. □□□□□□□□□□

5. □□□□□□□

6. □□□□□□□


□□□□□□□□

1. □□□□□□□

2. □□□

3. □□□□□□□□□□

4. □□□□□□□



FB

dn	l	H2	w	
40	230	139	173	3/8"
50	230	139	173	3/8"
65	290	159	198	3/8"
80	310	179	226	3/8"
100	350	214	265	1/2"
125	400	278	307	1/2"
150	480	333	351	1/2"
200	600	600	436	3/4"
250	700	730	524	1"
300	850	850	606	1"

Highlights

1. dn+2 mm
- 2.
- 3.
4. 100 64
5. FB RB ACD
- 6.
- 6.1 1.1 \* PN + 1
- 6.2 1.5 \* PN + 1
- 6.3 0.2
7. 1000 Hz
- 8.
- 9.



## COMPANY INFORMATION



Advanced CNC Machining Center

Professional Process Cells

china

centration

v GB American Standard Tuv CE ISO 9001 ADWO-2000 TS PED WRC WRA KTW API 6D API609

VI / /

## COMPANY FACTORY



01

21 years of professional  
experience

03

Independent research and  
development team  
28 top senior professional  
researchers

05

100% high level ex-factory  
inspection

07

2 years quality assurance,  
repair and replacement

4 factories

02

2 professional testing  
centers

04

High quality imported  
materials

06

## COMPANY QUALIFICATION



## COMPANY EXHIBITION



### Partners



### Delivery



### Payment



□□□□□

Q□□□□□□□□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□□□

A□□□□□□□ Hrdraulic□□□□□□□□□□ RKSfluid□□□□□□□ USA□□□□□□□□□□□□□□□□□□□□□□□□

Q

A RKSfluid 4

Q

A 2 5

Q Moq

A 1PC

Q

A 100 2

TUV API WRA CE ISO

Standard DIN ASME BS EN JIS API AWWA

Q

A RKSfluid 20 70 RD