



□□□□□ □□□□□ **FB**□

DN	L	H2	W	□□□
40	230	139	173	3/8□□
50	230	139	173	3/8□□
65	290	159	198	3/8□□
80	310	179	226	3/8□□
100	350	214	265	1/2□□
125	400	278	307	1/2□□
150	480	333	351	1/2□□
200	600	600	436	3/4□□
250	700	730	524	1□□
300	850	850	606	1□□

- :
1. □□□□DN2mm□□□□□
  2. □□□□□□□□□□□□□□□□
  3. □□□□□□□□□□□□□□□□□□
  4. 100□□□□□□□□□□□□□□□□□□
  5. □□□□ (FB)□□□□□□□□ (RB)□□□□□□□□□□□□□□□□□ (ACD)
  6. □□□□□□□□□□□□□□□□
  - 6.1 □□□□□□: 1.1 \* PN 1 Bar
  - 6.2 □□□□□: 1.5 \* PN 1 Bar
  - 6.3 □□□□□□□□: 0.2 Bar
  7. 1000 Hz □□□□□□□□□□□□□□□□□□
  8. □□□□□□□□□□□□□□□□□□□□□□□□
  9. □□□□□□□□□□□□□□□□□□□□



## COMPANY INFORMATION



I 000000000000000000000000

II 0000 CNC 00000 00000000000000000000 0000000000000000000000000000

III 00000000000000000000000000000000000000

IV 000000000000000000000000000000000000

V GB TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

VI

## COMPANY FACTORY



01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

## COMPANY QUALIFICATION



## COMPANY EXHIBITION





**Q:** [RKSfluid 4](#)?

A: [RKSfluid 4](#)

**Q:** [RKSfluid 5](#)

A: [RKSfluid 5](#)

**MOQ**

MOQ: 1

**Q:** [RKSfluid 2](#)

A: [RKSfluid 2](#)

TUV API WRAS CE ISO

DIN ASME BS EN JIS API AWWA

**Q:** [RKSfluid 20](#)?

A: [RKSfluid 20](#)