


3F2F

PP2

EN-GJS500-7 PE/PP NBR SUS304





□□□

□□□□□□□□ -3□□(4F3F)

□□□□□□□□ -2□□(3F2F)

DN	ΦD(mm)				ΦK(mm)				N-Φd(mm)				Full Bore		Reduced Bore	
	PN10	PN16	PN25	PN40	PN10	PN16	PN25	PN40	PN10	PN16	PN25	PN40	H(mm)	Weight (kg)	H(mm)	Weight (kg)
50	165				Φ125				4-Φ19				220	14.5	-	-
80	200				Φ160				8-Φ19				300	26	220	15.5
100	220		235		Φ180		Φ190		8-Φ19		8-Φ23		370	34	300	28
150	285		300		Φ240		Φ250		8-Φ23		8-Φ28		520	70	370	39
200	340		360	375	Φ295		Φ310	Φ320	8-Φ23	12-Φ23	12-Φ28	12-Φ31	650	129	520	76
250	395	405	425	450	Φ350	Φ355	Φ370	Φ385	12-Φ23	12-Φ28	12-Φ31	12-Φ34	800	185	650	139
300	445	460	485	515	Φ400	Φ410	Φ430	Φ450	12-Φ23	12-Φ28	16-Φ31	16-Φ34	980	286	800	205

COMPANY INFORMATION



RKSfluid 于1997年在中国山东省威海市成立，是一家专业从事流体控制设备研发、生产和销售的高新技术企业。公司拥有先进的CNC加工中心和现代化的生产设施，能够为客户提供高质量、高精度的流体控制产品。我们的产品广泛应用于石油、化工、制药、食品加工等行业，符合GB、ISO、CE、ADWO-2000、TUV、ISO9001、TS、API等国际标准。RKSfluid拥有完善的质量管理体系和售后服务网络，致力于为客户提供优质的产品和服务。

地址：山东省威海市经济技术开发区

电话：0631-8555555

传真：0631-8555556

邮编：264200

网址：www.rksfluid.com



I

II CNC 0000 000000000000 0000 0000000000000000000000

III □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible]

V GB TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

VI




COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Q:

Q:

Q: □□□□□□□□□□□□□□□□?

```
00: RKSfluid 00400000000000000000000000000000
```

Q:

[illegible]

□□: MOQ

□□: □□□□□□ 1 □□

Q□□□□□□□□□□□□□□□□

□□: □□□□ 100% □□□□□2 □□□□□□□□□□□□□□□□

TUV API WRAS CE ISO

□□□DIN□ASME□BS EN□JIS□API□AWWA□□□□

Q:

A: RKSfluid 27 70