





Pressure ratings:PN10 PN16

Body:Ductile Iron

Trim:SS304 SS316 etc

Connection: ARVS/KARS-BPT threaded, KARX-Flanged

Working temperature: $-10^{\circ}\text{C}\sim+80^{\circ}\text{C}$



1. 2. 3. 4. 5. comply bs en 1074-4

COMPANY INFORMATION



RKSfluid自1997年成立以来，始终秉承“质量第一、客户至上”的经营理念，专注于为客户提供高品质的流体控制解决方案。公司拥有先进的CNC加工中心和精密检测设备，确保每一件产品都符合国际标准和客户要求。我们的产品广泛应用于石油、化工、制药、食品加工等行业，赢得了全球客户的广泛认可和好评。RKSfluid不仅是一家制造商，更是一家值得信赖的合作伙伴。我们将继续致力于技术创新和品质提升，为全球客户提供更加完善的服务。

公司拥有完善的GB、ISO质量管理体系，通过了CE、Adwo-2000、TUV、ISO9001、TS、API等认证，确保产品质量的稳定性和可靠性。我们的产品符合国际标准和客户要求，广泛应用于石油、化工、制药、食品加工等行业。RKSfluid拥有专业的技术团队和完善的售后服务体系，能够为客户提供从设计、制造到安装、维护的全方位服务。我们将继续秉承“质量第一、客户至上”的经营理念，为全球客户提供更加优质的产品和服务。

iAdvanced Advanced CNC

divanced Advanced CNC

china

centration

v American Standard Tuv CE ISO 9001 ADWO-2000 TS PED WRC WRA KTW API 6D API609

VI

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



□□□□□□

Q□□□□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□□□□□

A hydraulic RKSfluid USA

Q

A RKSfluid 4

Q

A 25

Q Moq

A 1PC

Q

A 100 2

TUV API WRA CE ISO

Standard DIN ASME BS EN JIS API AWWA

Q

A RKSfluid 20 70 R D