



DESIGN FEATURES

APPLICATION

- Super large diameters **up to DN4000** and beyond! Greater adjustability, greater DN/PN in many challenging projects worldwide
- **Fast, efficient** installation & dismantlement



CLASSIC & STURDY DESIGN

- AWWA-C219 **absolutely leakproof**
- Independent gasket
- Perfectly balanced **economical & technical superior**

HIGHLY CUSTOMIZABLE

- According to **customer requirement**

DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200 µm**
- Temperature : **Spraying temperature over 200°C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder: **AkzoNobel**, Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%!**
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**

APPLICATION SCENARIO



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂

II 工厂CNC

工厂

IV 工厂

V 工厂 GB 工厂 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API 609

VI 工厂

Exhibition Photos



A RKSfluid 20 70