



1. RKSfluid


Model	JPRM1171
Model	JPRM1092-2
Standard	DIN 12266-1
Material	Cast Iron
Material	Steel
Temperature	0-80°C
Pressure	11/18 bar
Pressure	15/24 bar
Pressure	PN10/16
Size	DN40-DN500
Size	Cast Iron



DN40-DN65



DN80-DN150



DN200-DN500

COMPANY INFORMATION



I 公司基本情况

II 公司 CNC 设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备

III 公司主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备

IV 公司主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备

V 公司 GB 标准 主要设备 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API 609

VI 公司主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备 主要设备

COMPANY FACTORY



SHIPPING PACKAGING



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION




COMPANY EXHIBITION



Partners





A

```
00: 0000000000000000 0000 RKSfluid 00000000000000000000000000000000
```

```
00: RKSfluid 00400000000000000000000000000000
```

A 25

00: 00000000 1 00

100% 2
 TUV API WRAS CE ISO
 DIN ASME BS EN JIS API AWWA

A: RKSfluid