

## DESIGN FEATURES



- 1.Elastic stainless steel sealing ring,"0"leakage
- 2.Fireproof structural design,blow-out proof stems
- 3.Auto welding plasma powder surfacing valve seat
- 4.Hollow design, reduces flow resistance
- 5.Interchangeable DSS entity seal / multiple-piece
- 6.stainless and graphite seal
- 7.ISO5211 Mounting platform,simple connection



# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# COMPANY INFORMATION



Advanced CNC

Advanced CNC

Advanced CNC

Advanced CNC

Advanced CNC GB TUV CE ISO 9001 ADWO-2000 TS PED WRC WRA KTW API 6D API609

Advanced CNC / /



# COMPANY QUALIFICATION



COMPANY EXHIBITION



□□□□□

Q□□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□

A□□□□□□hrdraulic□□□□□□ RKSfluid□□□□□□USA□□□□□□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□

A□ RKSfluid□□□□□□□□□□□□4□□□□□□□□□

Q□□□□□□□□□

A□□□□□□□2□5□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q□ Moq

A□□□□□□□1PC□

Q□□□□□□□□□□□

A□□□□□100□□□□□□2□□□□□□□□□□□□□□□□□□□□  
TUV□ API□ WRA□ CE□ ISO□□□□□□□□□□  
□□ din□ asme□ bs en□ jis□ api□ awwa□□□□□□□□□

Q□□□□□□□□□□□□□□□□□□□

A□ RKSfluid□□□20□□□□□70□□□□□ R□ D□□□□□□□□□□□□□□□□□□□□□□□□□□□