





- Streamlined, minimum noise
- Backflow velocity only 0.2s, Head loss 0.1bar with 2m/s
- EPDM/NBR Rubber fully coated disc
- Anti-erosion design. Self-adjusting ball
- Self-cleaning stem, Long time smooth operation



NPS2-NPS14 (DN50-DN350)



NPS16-NPS24 (DN400-DN600)



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



independently developed and designed

divanced Advanced CNC processing equipment and advanced manufacturing technology

related to the production of various types of mechanical parts

us to provide a complete range of services

include GB standards, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC, WRA, KTW, API 6D, API609

VI, and other international standards. We also provide a full range of services, including design, manufacturing, and assembly, to meet the needs of our customers.

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION





Partners



□ □ □ □ □ □

Q

A

Q□□□□□□□□□□□□□□□□

A hrdraulic RKSfluid USA

Q□□□□□□□□□□□□□□□□

```
A RK S fluid 4
```

